



1Y0-253^{Q&As}

Implementing Citrix NetScaler 10.5 for App and Desktop Solutions

Pass Citrix 1Y0-253 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1y0-253.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A Citrix Administrator needs to configure a single virtual server to accept TCP traffic on ports 80, 443 and ports between 10000 and 19999.

Which protocol type should the administrator use to accomplish this task?

- A. ANY
- B. UDP
- C. SSL TCP
- D. SSL PUSH

Correct Answer: A

QUESTION 2

Various users report that while accessing the Citrix NetScaler Gateway virtual server they get an error message that the public SSL certificate is NOT trusted. Which three steps should a Citrix Administrator take on the NetScaler to resolve this issue? (Choose three.)

- A. Import the root certificate.
- B. Import the intermediate certificate.
- C. Download the root certificate from the vendor.
- D. Link the root certificate to the intermediate certificate.
- E. Download the intermediate certificate from the vendor.
- F. Link the intermediate certificate to the existing server certificate.

Correct Answer: BEF

QUESTION 3

Which IP address must be unique on each node in a high availability configuration?

- A. virtual IP (VIP)
- B. Mapped IP (MIP)
- C. Subnet IP (SNIP)
- D. NetScaler IP (NSIP)

Correct Answer: B



QUESTION 4

Scenario: A company website currently has thousands of GIF images. Using the NetScaler, a Citrix Administrator needs to convert the GIFs to PNG format to reduce bandwidth requirements. Which feature on the NetScaler can accomplish this task?

- A. Priority Queueing
- B. Content Switching
- C. Content Accelerator
- D. Front End Optimization

Correct Answer: D

QUESTION 5

A Citrix Administrator needs to configure a load balanced RADIUS virtual server for authentication on the NetScaler.

Which IP address should the administrator configure on the RADIUS server client configuration?

- A. virtual IP (vIP)
- B. NetScaler IP (NSIP)
- C. Subnet IP (SNIP)
- D. Client IP (CIP)

Correct Answer: C

[1Y0-253 PDF Dumps](#)

[1Y0-253 VCE Dumps](#)

[1Y0-253 Exam Questions](#)