

1Y0-301^{Q&As}

Deploying Citrix XenDesktop 7.6 Solutions

Pass Citrix 1Y0-301 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/1y0-301.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/1y0-301.html

2024 Latest passapply 1Y0-301 PDF and VCE dumps Download

QUESTION 1

What is required by NetScaler Gateway when enabling remote access in a XenDesktop deployment?

- A. An LDAP bind account
- B. A connection URL to the hypervisor
- C. A root certificate from the internal CA
- D. The IP address of the RDS License Server

Correct Answer: A Section: (none)

QUESTION 2

Which two items are required when creating a machine catalog for Desktop OS machines using Machine Creation Services? (Choose two.)

- A. Bootstrap file
- B. Master image
- C. Target device
- D. Remote access policy
- E. Account naming convention

Correct Answer: BE Section: (none)

QUESTION 3

Scenario: A Citrix Engineer needs to configure iSCSI based shared storage for XenServer with multipathing. The iSCSI SAN has two targets: one on subnet 10.10.10.x and one on subnet 10.10.20.x.

How should the engineer configure iSCSI-based shared storage for XenServer with multi- pathing?

- A. Create two virtual private networks.
- B. Create management interfaces on each storage subnet.
- C. Create VLAN tagging on two NICs attached to the iSCSI networks.
- D. Create a bonded network for bonded NICs across all storage subnets.

Correct Answer: B Section: (none)

QUESTION 4



https://www.passapply.com/1y0-301.html 2024 Latest passapply 1Y0-301 PDF and VCE dumps Download

Scenario: A Citrix Engineer needs to configure load balancing for two StoreFront servers. Traffic must be encrypted between client machines and the StoreFront servers and the health of the stores must be monitored. The StoreFront servers are already configured properly using the default ports for encrypted traffic.

Which two steps does the engineer need to take before creating the load-balancing virtual server to use traffic encryption between client machines and the StoreFront servers? (Choose two.)

- A. Create an SSL service group containing the StoreFront servers listening on port 443.
- B. Create an SSL_TCP service group containing the StoreFront servers listening on port 443.
- C. Create and configure a new monitor with type=STOREFRONT and select the Secure checkbox.
- D. Create an SSL DIAMETER service group containing the StoreFront servers listening on port 443.
- E. Create and configure a new monitor with type=STOREFRONT and select the IP Tunnel checkbox.
- F. Create and configure a new monitor with type=CITRIX-AG and select the LRTM (Least Response Time using Monitoring) checkbox.

Correct Answer: AC Section: (none)

QUESTION 5

Which mode should a database be configured for when using a SQL mirrored solution with Provisioning Services?

- A. High-performance mode (Synchronous)
- B. High-performance mode (Asynchronous)
- C. High-safety mode with a witness (Synchronous)
- D. High-safety mode with a witness (Asynchronous)

Correct Answer: C Section: (none)

1Y0-301 VCE Dumps

1Y0-301 Practice Test

1Y0-301 Exam Questions