



1Y0-371^{Q&As}

Designing, Deploying and Managing Citrix XenMobile 10 Enterprise Solutions

Pass Citrix 1Y0-371 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1y0-371.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Scenario: Management has asked for all LDAP communication to be secured. A Citrix Engineer has modified the LDAP server address to use the Fully Qualified Domain Name (FQDN) and has changed to the default secure port. After doing so, the XenMobile Server cannot save the new settings and prompts with the error "Cannot connect. Try again." Which two things should the engineer verify to resolve this issue? (Choose two.)

- A. That the firewall between the two servers is allowing traffic over port 636
- B. That the firewall between the two servers is allowing traffic over port 389
- C. That the server certificate of the domain controller has been added to the XenMobile Server
- D. That the root certificate of the domain controller has been added to the XenMobile Server

Correct Answer: AD

QUESTION 2

A Citrix Engineer must deploy a scheduling policy to _____ and _____ devices in order to allow these devices to check in automatically without further intervention by the engineer. (Choose the two correct options to complete the sentence.)

- A. iOS
- B. Android
- C. Windows Phone 8.1
- D. Symbian

Correct Answer: BD

QUESTION 3

A Citrix Engineer integrated a XenMobile Server with StoreFront and now users are unable to enumerate any of their XenApp applications.

Which step must the engineer take to resolve this issue?

- A. Re-enter the correct relative path from the StoreFront services site on the XenMobile Server.
- B. Wrap Receiver with the MDX Toolkit and push the client to the device.
- C. Terminate active ICA sessions on the NetScaler.
- D. Add the XenMobile Server to the list of Delivery Controllers on the StoreFront Server.

Correct Answer: A

**QUESTION 4**

Scenario: According to corporate policy, corporate data should be removed if a device is jailbroken or rooted and the device should NOT be allowed to re-enroll. A Citrix Engineer is asked to implement the action based on mobile device status to facilitate the company's security compliance.

Which action should the engineer take to meet the requirements of the scenario?

- A. Revoke the device.
- B. Perform a selective wipe of the device.
- C. Perform a full wipe of the device.
- D. Mark the device as out of compliance.

Correct Answer: A

QUESTION 5

What should a Citrix Engineer configure in order to ensure Apple Push Notification service (APNs) works with outbound proxy communications?

- A. Enable outbound proxy communication for APNs communication through the XenMobile Web console.
- B. Enable outbound proxy communication for APNs communication through the XenMobile Server command-line interface.
- C. Enable then deploy the XenMobile proxy policy to user devices.
- D. Enable outbound XenMobile proxy communication on the NetScaler.

Correct Answer: B

[1Y0-371 PDF Dumps](#)

[1Y0-371 VCE Dumps](#)

[1Y0-371 Study Guide](#)