



# 1Y0-402<sup>Q&As</sup>

Citrix XenApp and XenDesktop 7.15 Assessment, Design and Advanced Configurations

## Pass Citrix 1Y0-402 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1y0-402.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





## QUESTION 1

Scenario: A Citrix Architect needs to implement XenApp and XenDesktop. Based on the assessment and early stages of the design, the architect has identified the requirements as shown in the Exhibit.

Click the Exhibit button to view the requirements.

Requirement	Detail
Number of users	50
Environment	Proof of Concept (POC)
Redundancy	NOT required
Administrative Team	One IT administrator
Level of Performance	High
Image Management	Provisioning Services, non-persistent
Additional considerations	Should NOT impact production infrastructure

Which tier of storage should the architect consider implementing, based on the requirements in the Exhibit?

- A. DAS
- B. Local
- C. SAN
- D. NAS

Correct Answer: A

## QUESTION 2

Scenario: During an assessment of a Citrix Infrastructure, a Citrix Architect finds that there are four active Sites. Each Site has one NetScaler SDX pair and two StoreFront servers in a server group to allow access for internal and external users. Users have to use different URLs when they access resources from different Sites. Single-factor authentication is used for both internal and external access. NetScaler appliances are placed in the DMZ with the appropriate firewall ports configured to allow Citrix traffic. Many of the internal users connect using corporate-owned laptops and some external users also connect using personal devices.

Management is planning to create one more Site and has asked the architect to perform scalability testing and advise how many NetScaler appliances are needed for the new Site.

What is the primary determining factor that the architect can use to help identify the appropriate NetScaler platform in this scenario?

- A. SSL VPN
- B. SSL Throughput



C. ICA Proxy


D. Ethernet Ports

Correct Answer: B

### QUESTION 3

Scenario: A Citrix Architect must complete a XenApp and XenDesktop security assessment. After examining the network topology for the hypervisor hosts supporting the Virtual Delivery Agent (VDA) machines, the architect finds that some of the network connections are NOT following leading security practices.

Click the Exhibit button to view a high-level diagram which shows the connectivity between various components.



Which three of the labeled areas of the diagram represent connections which are NOT following Citrix leading security practices? (Choose three.)

A. G

B. B

C. A

D. E

E. F



F. D

G. C

Correct Answer: DEF

#### QUESTION 4

Scenario: A Citrix Architect needs to design a new XenApp and XenDesktop environment.

The table in the Exhibit lists details about the requirements of the current user groups and their Virtual Delivery Agent (VDA) machine workloads.

Click the Exhibit button to view the table.

User	Scaling Priority	VDA Type	Workload Weight	CPU Overcommit	Virtual CPUs per VIM	VMs per Host	Users per VM
User Group 1	Scalability	Server	Medium	1:5:1	6	16	20
User Group 2	User experience	Desktop	Heavy	6:1	4	36	1
User Group 3	Scalability	Desktop	Medium	6:1	2	40	1
User Group 4	Scalability	Server	Medium	1:5:1	6	27	20

The architect should scale the hardware used to host the VMs for User Group 1 to \_\_\_\_\_ cores. (Choose the correct option to complete the sentence.)

A. 32

B. 24

C. 16

D. 96

E. 64

Correct Answer: B

#### QUESTION 5

Scenario: A Citrix Architect needs to create a conceptual architecture for a XenApp and XenDesktop environment, on behalf of a retail chain. Based on some initial discussions around the firm's business goals and objectives, the architect has collected the information as shown in the Exhibit.

Click the Exhibit button to view the information.



Requirement	Detail
Number of users	300
Datacenters	One server room in the headquarters building
Available hardware	None; firm is in the process of decommissioning old servers
Administrative Team	1 general IT systems administrator
Level of control desired	Low level of control
Additional considerations	Minimize the deployment and maintenance time required for the environment

Which delivery model should the architect recommend?

- A. Single-Site in Citrix Cloud, single public cloud resource location
- B. Multi-Site, single-zone, multiple public cloud resource locations
- C. Multi-Site, single on-premises datacenter
- D. Single-Site in Citrix Cloud, single on-premises resource location
- E. Single-Site, single-zone, single on-premises datacenter

Correct Answer: C

[1Y0-402 PDF Dumps](#)

[1Y0-402 Study Guide](#)

[1Y0-402 Braindumps](#)