

1Y0-402^{Q&As}

Citrix XenApp and XenDesktop 7.15 Assessment, Design and Advanced Configurations

Pass Citrix 1Y0-402 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/1y0-402.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/1y0-402.html

QUESTION 1

Scenario: IT management has decided which server hardware model to use for new XenApp and XenDesktop Sites and needs guidance on sizing the Hardware Layer.

Click the Exhibit button to view the host details.

Host Details	
Host Model	UCS B200 M4
Sockets	2
Cores per Socket	8
RAM	320 GB
Hyper Threading	Enabled
Storage	SAN storage
CPU over-subscription ratio	2:1

A Citrix Architect is planning to install XenServer 7.x on this host which will be used to host only XenApp servers.

How many XenApp servers can the architect deploy on the host if the plan includes allotting each XenApp server 4 vCPUs, considering the over subscription ratio?

A. 12

B. 4

C. 6

D. 8

Correct Answer: D

QUESTION 2

Scenario: A Citrix Architect is designing a XenDesktop environment. The Graphic Designers group uses a graphic-intensive application. Graphic Designers will be provided with a Windows 10 Hosted Personal Desktop, with NVIDIA graphics hardware acceleration. HDX 3D Pro mode was selected during the installation of Virtual Delivery Agent (VDA).

What is the maximum number of monitors supported for the Graphic group?

A. 6

B. 2

C. 8

D. 4

Correct Answer: D

VCE & PDF PassApply.com

https://www.passapply.com/1y0-402.html

2024 Latest passapply 1Y0-402 PDF and VCE dumps Download

QUESTION 3

Scenario: While assessing User Layer, a Citrix Architect finds that most of the internal users connect using corporateowned laptops, desktop devices, and thin clients. Many of these laptops and desktop devices are running Windows 10, while the remainder of the machines are running Windows 7 and are in the process of being migrated to Windows 10. Some users also connect using personal devices.

Currently, Citrix Receiver is manually installed on any endpoint device added to the company. All these devices use Citrix Receiver version 4.8 and above. The IT team is planning to automate a process to update all the devices with the latest version of Citrix Receiver and to automate another process for automatic installation of Citrix Receiver without incurring extra costs and maintenance.

The architect needs to identify which type of Citrix Receiver to recommend for 25 task workers in a remote location where installation of Citrix Receiver is NOT possible. The workers do NOT require any device mappings.

Which type of Citrix Receiver should the architect recommend?

- A. Native receiver
- B. Receiver for Web
- C. Receiver for Chrome
- D. HTML 5

Correct Answer: B

QUESTION 4

As part of an application analysis performed earlier in the project, the information in the Exhibit was collected regarding one of the required applications.

Click the Exhibit button to view the information.

Category	Detail	
Application Name	Workspace PDF	
Description	Application that can be used to view, create, edit, and publish PDFs	
Usage	The application is used throughout the organization.	
OS Compatibility	The application is compatible with the target operating systems.	
Special Considerations	onsiderations The application uses a Windows service to print PDfs and another to convert PDF file to and from other file formats.	
	The application includes shell extensions that are integral to the user workflow.	

Additionally, the customer has the following objectives:

1.

Minimize the time required to perform application patches and updates

VCE & PDF PassApply.com

https://www.passapply.com/1y0-402.html 2024 Latest passapply 1Y0-402 PDF and VCE dumps Download

2.

Each department should have a dedicated image that is NOT accessible to other departments

3.

Each departmental image should only include the applications required by that department How should the architect install the application?

- A. Directly on endpoint devices and included in a virtual desktop session using the Local App Access feature
- B. On an Application Layer using Citrix App Layering, be included in a layered image, and accessed through a virtual desktop session
- C. Directly on a Server OS VDA machine and accessed from the endpoint as a published application
- D. Stream it to a VDA machine using Microsoft App-V and accessed through a virtual desktop session
- E. On an Application Layer using Citrix App Layering then be presented to assigned users as an Elastic Layer during a virtual desktop session

Correct Answer: C

QUESTION 5

Scenario: A Citrix Architect needs to design a new XenApp and XenDesktop environment.

The architect has identified the User Layer requirements, as shown in the Exhibit. Click the Exhibit button to view the requirements.

User Group	User Devices	Connection Point	Security Requirements
Accountants	Corporate-owned desktops, laptops	Internal and External	Should NOT be permitted to access payroll and e-banking apps outside the corporate network
Sales Associates	BYOD smartphones, tablets	Internal and External	Have access to customer data and pricing information
Customers	Public kiosks	Internal	Use kiosks to access a published app hosted by a group of servers in an isolated network segment Should NOT have knowledge of Workspace
Contractors	BYOD desktops, laptops	External	Services credentials Should NOT have knowledge of Workspace Services credentials and must supply their own authentication provider

Additionally, management at the organization has identified the following general Access Layer

https://www.passapply.com/1y0-402.html

2024 Latest passapply 1Y0-402 PDF and VCE dumps Download

requirements:

A multi-factor authentication method is required for any connections to the XenApp and XenDesktop environment originating from outside the corporate network.

External connections must be authenticated by a NetScaler Gateway virtual server located in a DMZ network.

Internal connection traffic should NOT leave the internal corporate network.

Which Access Layer feature should the architect configure to meet the security requirements of the Accountants group?

- A. SmartControl
- B. Endpoint analysis scan
- C. SmartAccess
- D. Federated Authentication Service

Correct Answer: A

1Y0-402 Practice Test

1Y0-402 Study Guide

1Y0-402 Braindumps