



# 1Y0-402<sup>Q&As</sup>

Citrix XenApp and XenDesktop 7.15 Assessment, Design and Advanced Configurations

## Pass Citrix 1Y0-402 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1y0-402.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Scenario: A Citrix Architect needs to design a new XenApp and XenDesktop environment.

The architect has identified the User Layer requirements, as shown in the Exhibit.

Click the Exhibit button to view the requirements.

User Group	User Devices	Connection Point	Security Requirements
Accountants	Corporate-owned desktops, laptops	Internal	Should minimize user effort required to authenticate while meeting general security requirements
Executives	BYOD smartphones, tablets	Internal and External	Should minimize user effort required to authenticate while meeting general security requirements
Customers	Public kiosks	Internal	Use kiosks to access a published app hosted by a group of servers in an isolated network segment  Should NOT have knowledge of Workspace Services credentials
Contractors	BYOD desktops, laptops	External	User devices must have up-to-date antivirus software installed before they can access the XenApp and XenDesktop environment.  Should NOT have knowledge of Workspace Services credentials and must supply their own authentication provider

Additionally, management at the organization has identified the following general Access Layer requirements:

A multi-factor authentication method is required for any connections to the XenApp and XenDesktop environment originating from outside the corporate network.

External connections must be authenticated by a NetScaler Gateway virtual server located in a DMZ network.

Internal connection traffic should NOT leave the internal corporate network.

Which two authentication methods should the architect use for the Contractors group? (Choose two.)

- A. RADIUS authentication
- B. Smart Cards
- C. SAML authentication



- D. Domain pass-through
- E. Federated Authentication Service
- F. Username and password

Correct Answer: CE

---

## QUESTION 2

Scenario: While assessing User Layer, a Citrix Architect finds that most of the internal users connect using corporate-owned laptops, desktop devices, and thin clients. Many of these laptops and desktop devices are running Windows 10, while the remainder of the machines are running Windows 7 and are in the process of being migrated to Windows 10. Some users also connect using personal devices.

Currently, Citrix Receiver is manually installed on any endpoint device added to the company. All these devices use Citrix Receiver version 4.8 and above. The IT team is planning to automate a process to update all the devices with the latest version of Citrix Receiver and to automate another process for automatic installation of Citrix Receiver without incurring extra costs and maintenance.

The architect needs to identify which type of Citrix Receiver to recommend for 25 task workers in a remote location where installation of Citrix Receiver is NOT possible. The workers do NOT require any device mappings.

Which type of Citrix Receiver should the architect recommend?

- A. Native receiver
- B. Receiver for Web
- C. Receiver for Chrome
- D. HTML 5

Correct Answer: B

---

## QUESTION 3

Scenario: A Citrix Architect needs to design a new XenApp and XenDesktop environment.

Click the Exhibit button to view information collected by the architect during the Resource Layer discussions.



Category	Detail
Active Directory Permissions	Only the Active Directory (AD) team has domain administrator permissions, but the Citrix Administrative team is provided with delegated administrative access to the Citrix dedicated OUs.
User Profile Type	Citrix Profile Management will be used.
Required Policies	Citrix Administrators are permitted to use the Block Inheritance feature for the Citrix dedicated OU, as long as required corporate policy settings are manually re-applied to the Virtual Delivery Agent machines. The Loopback Policy setting can be applied in Merge mode.
Security Considerations	The Virtual Delivery Agent machines should receive additional lockdown settings that are NOT currently being applied elsewhere in the environment.
Other Requirements	The Active Directory team would like to centralize the management of policy settings as long as other requirements are met.

Based on the requirements, the Citrix Administrative team should use \_\_\_\_\_ to manage Citrix policies and \_\_\_\_\_ to manage Microsoft settings. (Choose the correct option to complete the sentence.)

- A. Citrix Studio; Workspace Environment Manager
- B. Active Directory Group Policy Objects; Active Directory Group Policy Objects
- C. Citrix Studio; Local Policies
- D. Active Directory Group Policy Objects; Workspace Environment Manager
- E. Citrix Studio; Active Directory Group Policy Objects

Correct Answer: C

#### QUESTION 4

Scenario: After a recent security assessment, a Citrix Architect recommends blocking unnecessary peripheral types by disabling the associated HDX channels. Currently, the environment is intended to support the peripheral types listed in the Exhibit.

Click the Exhibit button to view the supported peripheral types.

Allowed Peripherals	Prohibited Peripherals
<ul style="list-style-type: none"> <li>- Keyboard</li> <li>- Standard mouse</li> <li>- Headsets (headphones &amp; microphone)</li> <li>- Smart cards</li> <li>- Printers</li> </ul>	<ul style="list-style-type: none"> <li>- Webcams</li> <li>- USB memory sticks</li> <li>- Endpoint drives</li> <li>- Scanners</li> <li>- Any additional specialized peripherals that have NOT been approved for inclusion</li> </ul>



Which four HDX virtual channels should the architect disable, based on the peripherals required in the environment?  
(Choose four.)

- A. ClientDrive
- B. TWI
- C. Print
- D. ClientAudio
- E. TwainRdr
- F. Multimedia


Correct Answer: BCEF

---

#### QUESTION 5

Scenario: A Citrix Architect needs to design a new XenApp and XenDesktop environment. The design has a primary zone and three satellite zones. Each satellite zone has a number of Virtual Delivery Agent (VDA) machines that belong to a single Delivery Group spanning across all three satellite zones.

Click the Exhibit button for more details about the configuration.



How should the architect ensure that when users from Group SFO launch Microsoft PowerPoint, they are able to work with the least amount of latency on documents in the "User data" folder?

- A. Publish Microsoft PowerPoint to only run from Zone-SFO
- B. Set the application home zone to Zone-MIA
- C. Create a Citrix policy to define bandwidth limitations for sessions to Zone-SFO
- D. Edit the zone properties to only allow Microsoft PowerPoint to launch in Zone-MIA

Correct Answer: D

[Latest 1Y0-402 Dumps](#)

[1Y0-402 VCE Dumps](#)

[1Y0-402 Exam Questions](#)