



1Y0-403^{Q&As}

Citrix Virtual Apps and Desktops 7 Assessment, Design and Advanced Configurations

Pass Citrix 1Y0-403 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1y0-403.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Scenario: A Citrix Architect is assessing an existing infrastructure for a company that has storage challenges as a result of hyper-growth. They currently have a large IT infrastructure that consists of 15 hypervisor hosts and more than 200 virtual machines (VMs) worldwide. Management has advised the architect that they need to improve their storage infrastructure to include high performance and scalability.

Which storage solution should the architect implement within this infrastructure?

- A. DAS
- B. SAN
- C. NAS
- D. Local

Correct Answer: B

QUESTION 2

Scenario: A Citrix Architect is designing a new infrastructure that will use Citrix Virtual Apps and Desktops to deploy applications in New York, Chicago and Seattle data centers. All 3 data centers will be active simultaneously.

Which feature should the architect recommend to connect the remote users to the closest or best-performing data center?

- A. Global Server Load Balancing
- B. StoreFront Resource Aggregation
- C. Zone Preference and Failover
- D. Optimal Gateway Routing

Correct Answer: A

Reference: <https://www.citrix.com/blogs/2014/03/29/xendesktop-gslb-dr-everything-you-think-you-know-isprobably-wrong/>

QUESTION 3

Scenario: A Citrix Architect is designing a Citrix Virtual Desktops environment. The Engineer Group requires NVIDIA hardware with shared virtualized GPUs due to its use of graphical applications. Management wants to use 4 components within the Citrix Virtual Desktops environment to meet these requirements: NVIDIA GRID Tesla P40 GPUs Microsoft Hyper-V Server 2012 R2 Windows 10 virtual machines (VMs) Citrix Virtual Desktops 7

Which component must the architect change to implement this use case?

- A. Windows 10 virtual machines



- B. Citrix Virtual Desktops 7
- C. NVIDIA GRID Tesla P40 GPUs
- D. Microsoft Hyper-V Server 2012 R2

Correct Answer: B

QUESTION 4

Scenario: A Citrix Architect is designing a new Citrix Virtual Apps and Desktops environment. While assessing the existing infrastructure, the architect determined that a number of users utilize legacy USB print devices that they will continue to need locally and within HDX sessions. The current HDX-optimized print virtual channel will NOT support these devices, so the architect decides that the Generic USB redirection channel should be used.

Which two factors must the architect consider when using Generic USB redirection? (Choose two.)

- A. It requires more network bandwidth compared to standard HDX virtual channels.
- B. Local access to printers will be lost until the HDX sessions is disconnected or ended.
- C. Manufacturer printer drivers will need to be installed on user workstations.
- D. The Citrix Virtual Channel Software Development Kit (VCSDK) will be required.
- E. It is supported for only USB 3.0 devices and features.

Correct Answer: AD

QUESTION 5

Scenario: A Citrix Architect is designing a new Citrix Virtual Apps and Desktops environment. As part of graphics-mode design considerations, the architect discovered that one User Group requires a graphics mode that provides both good performance and high image quality.

Which graphics mode should the architect recommend be configured for this specific group?

- A. Visual quality = Build to Lossless
- B. Visual quality = Always Lossless
- C. Optimize for 3D graphics workload = Disabled
- D. Optimize for 3D graphics workload = Enabled

Correct Answer: D