



# 1Y0-403<sup>Q&As</sup>

Citrix Virtual Apps and Desktops 7 Assessment, Design and Advanced Configurations

## Pass Citrix 1Y0-403 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1y0-403.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

Scenario: A Citrix Architect completed an assessment of an existing environment. The architect learned that one of the business requirements dictate that automatic update functionality is disabled, and that deployment is exclusively done by electronic software distribution (ESD).

Which parameter is required to configure the Citrix Workspace Updates settings from the command line interface, when installing Citrix Workspace app for Windows?

- A. /AutoUpdateStream=current
- B. /AutoUpdateCheck=auto
- C. /AutoUpdateStream=disabled
- D. /AutoUpdateCheck=disabled

Correct Answer: D

Reference: <https://docs.citrix.com/en-us/receiver/windows/4-9/citrix-receiver-for-windows-4.9-ltsr.pdf> (40)

---

### QUESTION 2

Scenario: A Citrix Architect is configuring a multi-location profile strategy as part of a large Citrix Virtual Apps and Desktops solution. The architect needs to implement a single policy that sets the profile path for all users and distributes the user profiles between 3 shares and 9 file servers.

New York users: Server: NYC-FS.company.lan ?Share: NYC-Profiles\$

Miami users: Server: MIA-FS.company.lan ?Share: MIA-Profiles\$

San Francisco users: Server: SFO-FS.company.lan ?Share: SFO-Profiles\$

Which value constitutes a valid path for use with a Citrix Profile Management policy?

- A. \\%DataCenter%-FS.company.lan\%UserHome%-Profiles\$\#sAMAccountName#\%ProfileVer%\
- B. \\%DFS-ROOT%.company.lan\%HomeShare%\$\#sAMAccountName#\%ProfileVer%\
- C. \\#DataCenter#-FS.company.lan\#DataCenter#-Profiles\$\#sAMAccountName#\%ProfileVer%\
- D. \\#DFS-ROOT#.company.lan\%HomeLocation%\$\#sAMAccountName#\%ProfileVer%\

Correct Answer: C

---

### QUESTION 3



Scenario: A planning document for deploying a new Citrix Virtual Apps and Desktops Site specifies that it will be created with 1 Site and different zones in each of 3 regions. The IT team expects that each zone will host 825 concurrent user sessions, with no more than 28 concurrent session launches.

What is the minimum acceptable Site-to-Site bandwidth required between the Primary Zone and a Satellite Zone?

- A. 1 Kbps
- B. 200 Mbps
- C. 2 Mbps
- D. 8 Gbps

Correct Answer: C

Reference: <https://docs.citrix.com/en-us/advanced-concepts/implementation-guides/citrix-virtual-appsdesktops-zones-deep-dive.html>

#### QUESTION 4

Scenario: A Citrix Architect is designing a new Citrix Virtual Apps and Desktops environment.

The table in the exhibit lists details about the requirements of the current user groups and their Virtual

Delivery Agent (VDA) machine workloads.

Click the Exhibit button to view the table.

User	Scaling Priority	VDA Type	Workload Weight	CPU Overcommit	Virtual CPUs per VM	VMs per Host	Users per VM
User Group 1	Scalability	Desktop	Medium	8:1	2	90	1
User Group 2	User Experience	Server	Medium	1.5:1	6	16	20
User Group 3	Scalability	Desktop	Heavy	6:1	4	36	1
User Group 4	Scalability	Server	Medium	1.5:1	6	27	20

The architect should scale the hardware used to host the virtual machines (VMs) for User Group 1 to \_\_\_\_\_ cores. (Choose the correct option to complete the sentence.)

- A. 32
- B. 24
- C. 96
- D. 64
- E. 16

Correct Answer: E



## QUESTION 5

Scenario: A Citrix Architect is designing a new Citrix Virtual Apps and Desktops environment.

The table in the exhibit lists details about the requirements of the current user groups and their Virtual

Delivery Agent (VDA) machine workloads.

Click the Exhibit button to view the table.

User	Scaling Priority	VDA Type	Workload Weight	CPU Overcommit	Virtual CPUs per VM	VMs per Host	Users per VM
User Group 1	Scalability	Desktop	Medium	8:1	2	40	1
User Group 2	User Experience	Server	Medium	1.5:1	6	16	20
User Group 3	Scalability	Desktop	Heavy	6:1	4	36	1
User Group 4	Scalability	Server	Medium	1.5:1	6	27	20

The architect should scale the hardware used to host the virtual machines (VMs) for User Group 1 to \_\_\_\_\_ cores. (Choose the correct option to complete the sentence.)

- A. 32
- B. 64
- C. 96
- D. 24
- E. 16

Correct Answer: D

[1Y0-403 PDF Dumps](#)

[1Y0-403 Study Guide](#)

[1Y0-403 Exam Questions](#)