



1Y0-440^{Q&As}

Architecting a Citrix Networking Solution

Pass Citrix 1Y0-440 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1y0-440.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Scenario: A Citrix Architect needs to assess an existing NetScaler configuration. The customer recently found that certain user groups were receiving access to an internal web server with an authorization configuration that does NOT align with the designed security requirements.

Click the Exhibit button view the configured authorization settings for the web server.

Requirements					
<ul style="list-style-type: none">By default, no connection should have access to network resources unless authorized based on the other requirements.By default, only connections coming from the internal network (192.168.10.0/24) should be permitted to access the web server.The Accountants group is authorized to access URLs with a ".zip" extension; all other users must NOT be authorized for this.The Executives group is authorized to access the web server from inside OR outside the internal network.					
Configurations					
Name	Type	Bind Point	Action	Priority	Associated Policy Expressions
Item 1	Authorization setting	Global	DENY	N/A	N/A
Item 2	Authorization Policy	NetScaler traffic management virtual server	ALLOW	1	Client.IP.SRC.IN_SUBNET (192.168.10.0/24)
Item 3	Authorization Policy	NetScaler traffic management virtual server	DENY	2	HTTP.REQ.URL.SUFFIX.EQ ("zip")
Item 4	Authorization Policy	Accountants Group	ALLOW	1	HTTP.REQ.URL.SUFFIX.EQ ("zip")
Item 5	Authorization Policy	Executives Group	ALLOW	1	Client.IP.SRC.NE (192.168.10.0/24)

Which item should the architect change or remove to align the authorization configuration with the security requirements of the organization?

- A. Item 1
- B. Item 3
- C. Item 4



D. Item 5

E. Item 2

Correct Answer: E

QUESTION 2

Scenario: A Citrix Architect needs to design a new NetScaler Gateway deployment to provide secure RDP access to backend Windows machines.

Click the Exhibit button to view additional requirements collected by the architect during the design discussions.

Topic	Requirements
Connections that should receive full VPN access	<ul style="list-style-type: none">• User should be a member of the "Executives" group.• Connections should be using the NetScaler Gateway Plugin.• Connections can come from any IP address source.

To meet the customer requirements, the architect should deploy the RDP proxy through _____, using a _____ solution. (Choose the correct option to complete the sentence.)

A. ICAProxy, stateless gateway

B. CVPN; single gateway

C. CVPN; stateless gateway

D. ICAProxy; single gateway

Correct Answer: B

QUESTION 3

Which four load-balancing methods support NetScaler Virtual Server-Level Slow Start? (Choose four.)

A. URLHash

B. Least response time

C. Least Packets

D. Least Connection

E. Token

F. Least bandwidth



G. SRCIPSRCPORThash

Correct Answer: BCDF

Reference: <https://support.citrix.com/article/CTX108886>

QUESTION 4

Scenario: A Citrix Architect needs to design a hybrid XenApp and XenApp and XenDesktop environment which will include Citrix Cloud as well as resource locations in on-premises datacenter and Microsoft Azure.

Organizational details and requirements are as follows:

1.

Active XenApp and XenDesktop Service subscription

2.

No existing NetScaler deployment

3.

About 3,000 remote users are expected to regularly access the environment

4.

Multi-factor authentication should be used for all external connections


5.

Solution must provide load balancing for backend application servers

6.

Load-balancing services must be in Location B

Click the Exhibit button to view the conceptual environment architecture.



The architect should use _____ in Location A, and should use _____ in Location B. (Choose the correct option to complete the sentence.)

- A. NetScaler Gateway as a Service, no NetScaler products
- B. No NetScaler products, NetScaler ADC (BYO)
- C. NetScaler Gateway as a Service, NetScaler ADC (BYO)
- D. No NetScaler products, NetScaler ICA Proxy (cloud-licensed)
- E. NetScaler Gateway as a Service, NetScaler ICA Proxy (cloud-licensed)
- F. No NetScaler products; NetScaler Gateway appliance

Correct Answer: C

QUESTION 5

Which encoding type can a Citrix Architect use to encode the StyleBook content, when importing the StyleBook configuration under source attribute?

- A. Hex
- B. base64



C. URL

D. Unicode

Correct Answer: B

Reference: <https://docs.citrix.com/en-us/netscaler-mas/12/stylebooks/how-to-use-api-to-createconfiguration-from-stylebooks/import-custom-stylebooks.html>

[Latest 1Y0-440 Dumps](#)

[1Y0-440 PDF Dumps](#)

[1Y0-440 Study Guide](#)