1Y0-440 Q&As

Architecting a Citrix Networking Solution

Pass Citrix 1Y0-440 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/1y0-440.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix Official Exam Center

Instant Download After Purchase
100% Money Back Guarantee
365 Days Free Update
800,000+ Satisfied Customers

QUESTION 1

Which four load-balancing methods support NetScaler Virtual Server-Level Slow Start? (Choose four.)

A. URLHash

B. Least response time

C. Least Packets

D. Least Connection

E. Token

F. Least bandwidth

G. SRCIPSRCPORTHash

Correct Answer: BCDF

Reference: https://support.citrix.com/article/CTX108886

QUESTION 2

Scenario: A Citrix Architect needs to design a new NetScaler Gateway deployment to provide secure RDP access to backend Windows machines.

Click the Exhibit button to view additional requirements collected by the architect during the design discussions.

Topic	Requirements
User experience	Once the user authenticates, they should be directed to a custom home page with the available RDP bookmarks. When a bookmark is clicked, an RDP connection to the backend machine will be established.
Additional considerations	Ensure that users can receive the most optimal RDP connection to backend machines located in different locations.

To meet the customer requirements, the architect should deploy the RDP proxy through _____ using a_____ solution. (Choose the correct option to complete the sentence.)

A. CVPN: single gateway

B. CVPN, stateless gateway

C. ICAProxy: single gateway

D. ICAProxy; stateless gateway

Correct Answer: C

QUESTION 3

Which NetScaler Management and Analytics System (NMAS) utility can a Citrix Architect utilize to verify the configuration template created by the NMAS StyleBook, before actually executing it on the NetScaler?

A. Dry Run

B. configpack

C. NITRO API

D. configcheck

Correct Answer: A

Reference: https://docs.citrix.com/en-us/netscaler-mas/12/stylebooks/how-to-use-user-defined-stylebooksin-mas.html

QUESTION 4

Under which two circumstances will a service be taken out of the slow start phase with automated slow start? (Choose two.)

A. The service does NOT receive traffic for three successive increment intervals.

B. The server request rate parameters are set above 25 requests per second.

C. The actual request rate is slower than the new service request rate.

D. The percentage of traffic that the new service must receive is greater or equal to 50.

E. The request rate has been incremented 100 times.

Correct Answer: AC

Reference: https://docs.citrix.com/en-us/netscaler/12/load-balancing/load-balancing-advanced-settings/ slow-start-service.html

QUESTION 5

Which session parameter does the default authorization setting control when authentication, authorization, and auditing profiles are configured?

A. Determines the default logging level

B. Determines whether the NetScaler appliance will allow or deny access to content for which there is no specific authorization policy

C. Determines the default period after which the user is automatically disconnected and must authenticate again to access the intranet

D. Determines whether the NetScaler appliance will log users onto all web applications automatically after they authenticate or will pass users to the web application logon page to authenticate for each application.

E. Controls are amount of time the users can be idle before they are automatically disconnected.

Correct Answer: B

Latest 1Y0-440 Dumps 1Y0-440 VCE Dumps 1Y0-440 Study Guide