



1Z0-034^{Q&As}

Upgrade Oracle9i/10g OCA to Oracle Database OCP

Pass Oracle 1Z0-034 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-034.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which two statements about Oracle Direct Network File System (NFS) are true? (Choose two.)

- A. It bypasses the OS file system cache.
- B. A separate NFS interface is required for use across Linux, UNIX, and Windows platforms.
- C. It uses the operating system kernel NFS layer for user tasks and network communication modules.
- D. File systems need not be mounted by the kernel NFS system when being served through Direct NFS.
- E. Oracle Disk Manager can manage NFS on its own, without using the operating system kernel NFS driver.

Correct Answer: AE

QUESTION 2

You perform an RMAN block media recovery on the tools01.dbf data file in the SALES database. Which two statements are true?

- A. You must ensure that the SALES database is mounted or open.
- B. You must restore a backup control file to perform a block media recovery.
- C. You must take the tools01.dbf data file offline before you start a block media recovery.
- D. You must put the database in NOARCHIVELOG mode to perform a block media recovery.
- E. You can perform only a complete media recovery of individual blocks, point-in-time recovery of individual data blocks is not supported.

Correct Answer: AE

QUESTION 3

Identify two advantages of using a recovery catalog instead of the control file of the target database in Recovery Manager (RMAN).

- A. You can use RMAN stored scripts.
- B. Recovery is faster if data is stored in catalog in addition to the control file.
- C. You can store backup information of all registered databases in one place.
- D. Database backups are automatically deleted when they are older than the specified time period.

Correct Answer: AC



QUESTION 4

You configured the default backup device type as disk for RMAN backups. In your database, because of business requirements, you have to take a simultaneous duplicate backup of the data files when the RMAN BACKUP command is used.

What must you set using the RMAN CONFIGURE command to achieve this?

- A. MAXSETSIZE TO 2;
- B. DEVICE TYPE DISK PARALLELISM 2;
- C. RETENTION POLICY TO REDUNDANCY 2;
- D. DATAFILE BACKUP COPIES FOR DEVICE TYPE DISK TO 2;

Correct Answer: D

QUESTION 5

You are using Recovery Manager (RMAN) with a recovery catalog to back up your production database. The backups and the archived redo log files are copied to a tape drive on a daily basis. Because of media failure, you lost your production database completely along with the recovery catalog database. You want to recover the target database and make it functional. You consider performing the following steps to accomplish the task:

1.

Restore an autobackup of the server parameter file.

2.

Restore the control file

3.

Start the target database instance

4.

Mount the database

5.

Restore the data files

6.

Open the database with RESETLOGS option

7.

Recover the data files

8.



Set DBID for the target database

Which option illustrates the correct sequence that you must use?

A. 8, 1, 3, 2, 4, 5, 7, 6

B. 1, 8, 3, 4, 2, 5, 7, 6

C. 1, 3, 4, 2, 8, 5, 6, 7

D. 1, 3, 2, 4, 6, 5, 7, 8

Correct Answer: A

[1Z0-034 VCE Dumps](#)

[1Z0-034 Practice Test](#)

[1Z0-034 Study Guide](#)