1Z0-034^{Q&As}

Upgrade Oracle9i/10g OCA to Oracle Database OCP

Pass Oracle 1Z0-034 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/1z0-034.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

[✿] **Instant Download** After Purchase

[✿] **100% Money Back** Guarantee

[✿] **365 Days** Free Update

[✿] **800,000+** Satisfied Customers

QUESTION 1

In which two situations would you rebuild an index using the ALTER INDEX----- REBUILD command?

A. to change a unique index into a non-unique index

B. to change index storage options

C. to enable index monitoring

D. to move the index to another tablespace

E. to improve performance of an INDEX CLUSTER

Correct Answer: BD

QUESTION 2

Which two statements are true about a duplicate database that is created by using the DUPLICATE command in RMAN? (Choose two.)

A. It is a copy or a subset of the target database.

B. It is opened in RESTRICT mode after a duplicating operation.

C. It is created by using backups and archived redo log files from the target database.

D. It is created with the same database identifier (DBID) as that of target database.

Correct Answer: AC

QUESTION 3

In one of your online transaction processing (OLTP) applications, table keys are frequently updated and queries performed using many different operators.

In addition, reports are generated using complex joins with non-equality operators. What table organization is the best for this workload?

A. heap table

B. object table

C. external table

D. sorted hash clustered table

E. global temporary table

F. hash clustered table

Correct Answer: B

QUESTION 4

Note the output of the following query:

SQL> SELECTflashback_archive_name,status FROM dba_flashback_archive;

FLASHBACK_ARCHIVE_NAMESTATUS

-- FLA1

You executed the following command to enable Flashback Data Archive on the EXCHANGE_RATE table:

ALTERTABLEexchange_rateFLASHBACK ARCHIVE;

What is the outcome of this command?

A. The table uses the default Flashback Data Archive.

B. The Flashback Data Archive is created in the SYSAUX tablespace.

C. The Flashback Data Archive is created in the same tablespace where the tables are stored.

D. The command generates an error because no Flashback Data Archive name is specified and there is no default Flashback Data Archive.

Correct Answer: A

QUESTION 5

Which two statements about Oracle Direct Network File System (NFS) are true? (Choose two.)

A. It bypasses the OS file system cache.

B. A separate NFS interface is required for use across Linux, UNIX, and Windows platforms.

C. It uses the operating system kernel NFS layer for user tasks and network communication modules.

D. File systems need not be mounted by the kernel NFS system when being served through Direct NFS.

E. Oracle Disk Manager can manage NFS on its own, without using the operating system kernel NFS driver.

Correct Answer: AE