



1Z0-066^{Q&As}

Oracle Database 12c: Data Guard Administrator

Pass Oracle 1Z0-066 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-066.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You administer a Data Guard environment consisting of a primary and three physical standby databases.

One physical standby database is used for disaster recovery, one is used for reporting, and one is used as a replica for testing.

The standby database used for testing is occasionally converted into a snapshot standby database and then converted back to a physical standby.

The physical standby database is the only standby that is a mandatory destination

The broker configuration operates in MAXIMUM PERFORMANCE mode.

Which ARCHIVELOG DELETION POLICY should be set, so that archive logs generated on the primary database are not deleted before they are consumed appropriately on each of the standby databases, but which allows them to be deleted from the primary as soon as it is safe to do so?

- A. CONFIGURE ARCHIVELOG DELETION POLICY TO APPLIED ON ALL STANDBY
- B. CONFIGURE ARCHIVELOG DELETION POLICY TO APPLIED ON STANDBY;
- C. CONFIGURE ARCHIVELOG DELETION POLICY TO SHIPPED TO ALL STANDBY;
- D. CONFIGURE ARCHIVELOG DELETION POLICY TO SHIPPED TO STANDBY,
- E. CONFIGURE ARCHIVELOG DELETION POLICY TO NONE;

Correct Answer: B

QUESTION 2

Which two are true about offloading backups to a physical standby database in a Data Guard environment?

- A. The standby database must be registered in an RMAN catalog after the primary database has been registered
- B. The standby database cannot be registered in an RMAN catalog if the primary database has not been registered
- C. Backups of the standby control file taken while connected to the catalog where the database is registered, may be used to restore the control file on the primary database.
- D. The standby database must be registered in an RMAN catalog before the primary database has been registered

Correct Answer: BC

QUESTION 3

Examine this command executed on a physical standby database to transition it to a logical standby database:

```
SQL> ALTER DATABASE RECOVER TO LOGICAL STANDBY prod1gsby;
```



Which statement is true regarding the execution of this command?

- A. FLASHBACK is automatically enabled when transitioning to the logical standby database.
- B. The Managed Recovery Process (MRPO) continues applying redo up to the SCN immediately preceding the redo corresponding to the LogMiner dictionary build.
- C. Supplemental logging will be enabled on the logical standby database when the physical database is transitioned to the logical standby database.
- D. SQL apply is automatically started when transitioning to the logical standby database.
- E. It will automatically start redo apply.

Correct Answer: E

Reference: https://docs.oracle.com/cd/B28359_01/server.111/b28294/create_ls.htm#i75998

QUESTION 4

Examine the Data Guard configuration;

```
DGMGRL> show configuration;
```

```
Configuration - Animals
Protection Mode: MaxPerformance
Databases:
dogs- Primary database
sheep- Physical standby database
cats- Snapshot standby database
```

```
Fast-Start Failover: DISABLED
```

```
Configuration Status:
SUCCESS
```

You receive an error while attempting to raise the protection mode to Maximum Protection:

```
DGMGRL> edit configuration set protection mode as maxprotection;
```

```
Error: ORA-16627: operation disallowed since no standby databases would remain to support protection mode
Failed.
```

What can you conclude based on this error?

- A. Cats is a snapshot standby database
- B. The redo transport mode is set to ASYNC for the standby database Sheep
- C. The redo transport mode is set to ASYNC for both standby databases
- D. The redo transport mode is set to ASYNC for the standby database Cats



Correct Answer: B

QUESTION 5

You edit the DGConnectIdentifier database property using the edit database set property DGMGRL command Which two are effects of this change?

- A. The fal_client database initialization parameter on all standby databases is updated with the new value.
- B. The service attribute of the log_archive_dest_n initialization parameter for any database referring to the specified database is updated with the new value.
- C. The fal_client database initialization parameter for the specified database is updated with the new value
- D. The broker configuration must be disabled and then enabled to use the new connection property.
- E. The service attribute of the log_archive_dest_n initialization parameter referring to all standby databases is updated with the new value

Correct Answer: AB

[1Z0-066 PDF Dumps](#)

[1Z0-066 Practice Test](#)

[1Z0-066 Braindumps](#)