1Z0-067^{Q&As}

Upgrade Oracle9i/10g/11g OCA to Oracle Database 12c OCP

Pass Oracle 1Z0-067 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/1z0-067.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Examine the RMAN commands executed in your database:

RMAN>CONFIGURE DEFAULT DEVICE TYPE TO disk; RMAN>CONFIGURE DEVICE TYPE DISK BACKUP TYPE TO BACKUPSET; RKAN> CONFIGURE CONTROLFILE AUTOBACKUP ON;

You issue the command: RMAN> BACKUP DATABASE;

Which two statements are true about the command?

A. It performs a log switch.

B. It creates compressed backup sets by using binary compression by default.

C. It backs up only the used blocks in data files.

D. It backs up data files, the control file, and the server parameter file.

E. It creates a backup of only the control file whenever the database undergoes a structural change.

Correct Answer: CD

C: RMAN backup sets automatically use unused block compression.

D: If CONFIGURE CONTROLFILE AUTOBACKUP is ON (by default it is OFF), then RMAN automatically backs up the control file and server parameter file after every backup and after database structural changes. Not E: spfile is also backed up. References: http://docs.oracle.com/cd/B28359_01/backup.111/b28273/rcmsynta007.htm#i1015382 http://docs.oracle.com/cd/B19306_01/backup.102/b14192/bkup003.htm#i1009642

QUESTION 2

Identify three scenarios in which RMAN will use backup sets to perform active database duplication.

A. when the duplicate ... from active database command contains the section size clause

B. when you perform active database duplication on a database with flashback disabled

C. when you specify set encryption before the duplicate ... from active database command

D. when the number of auxiliary channels allocated is equal to or greater than the number of target channels

E. when you perform active database duplication on a database that has read-only tablespaces

Correct Answer: ACD

Starting with Oracle Database 12c Release 1 (12.1), RMAN can use backup sets to transfer the source database files that need to be duplicated. The backup sets are transferred over the network to the auxiliary database. Backup sets can be encrypted for additional security. Specify the encryption algorithm by using the SET ENCRYPTION ALGORITHM command before the DUPLICATE command. RMAN uses backup sets to perform active database duplication when the connection to the target database is established using a net service name and any one of the following conditions is satisfied: The DUPLICATE ... FROM ACTIVE DATABASE command contains either the USING BACKUPSET, USING COMPRESSED BACKUPSET, or SECTION SIZE clause. The number of auxiliary channels allocated is equal to or

greater than the number of target channels allocated.
Reference:http://docs.oracle.com/database/121/BRADV/rcmdupdb.htm#BRADV298

QUESTION 3

You want to consolidate backup information and centrally manage backup and recovery scripts for multiple databases running in your organization.

Which two backup solutions can be used?

A. RMAN recovery catalog

B. RMAN Media Management Library

C. Enterprise Manager Cloud Control

D. Enterprise Manager Database Express

E. Oracle Secure Backup

Correct Answer: AC

Enterprise Manager allows a centralized control of database backups. It is possible to set up and schedule RMAN backups for all the databases in a large company, use a consistent backup strategy, and refer to all past RMAN output logs at any time, since they are stored in the Enterprise Manager Cloud Control repository. There is no need to use a central RMAN catalog, because information about the backups is centrally available from Enterprise Manager. And with the group backup feature new to Enterprise Manager Cloud Control 12c, it can be even faster to set up RMAN backups for all the databases-even if there are thousands-that are part of an Enterprise Manager group. References: http://www.oracle.com/technetwork/articles/oem/havewala-rman-em12c-2104270.html

QUESTION 4

Which two statements describe the relationship between a window, a resource plan, and a job class?

A. A window specifies a resource plan that will be activated when that window becomes active.

B. A window specifies a job class that will be activated when that window becomes active.

C. A job class specifies a window that will be open when that job class becomes active.

D. A window in association with a resource plan controls a job class allocation.

E. A window in association with a job class controls a resource allocation.

Correct Answer: AE

Windows work with job classes to control resource allocation. Each window specifies the resource plan to activate when the window opens (becomes active), and each job class specifies a resource consumer group or specifies a database service, which can map to a consumer group. A job that runs within a window, therefore, has resources allocated to it according to the consumer group of its job class and the resource plan of the window. Reference: http://docs.oracle.com/database/121/ADMIN/schedover.htm#ADMIN12366

QUESTION 5

Your database supports an OLTP workload. Examine the output of the query:

SQL> SELECT target_mttr, estimated_mttr FROM v$instance_recovery Target_mttr estimated_mttr

0 76

To ensure faster instance recovery, you set the fast_start_mttr_target initialization parameter to 30.

What is the effect of this setting on the database?

A. Automatic checkpoint tuning is disabled.

B. The frequency of log switches is increased.

C. The overhead on database performance is increased because of frequent writes to disk.

D. The MTTR advisor is disabled.

Correct Answer: C

Reference: http://docs.oracle.com/cd/A97630_01/server.920/a96533/instreco.htm

Latest 1Z0-067 Dumps   1Z0-067 PDF Dumps   1Z0-067 Practice Test