



1Z0-072^{Q&As}

Oracle Database 12cR2 Administration

Pass Oracle 1Z0-072 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-072.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two backup configurations are set by default when you choose Cloud Storage Only as the backup destination? (Choose two.)

- A. encryption of backups only for Enterprise Edition databases
- B. automatic daily full database backups
- C. RMAN incremental backups in a seven-day cycle
- D. encryption of backups only for High Performance and Extreme Performance database versions
- E. on-demand backups that need to be scheduled
- F. encryption for all backups

Correct Answer: CD

QUESTION 2

In a database, the default temporary tablespace is TEMP and USER1's default tablespace is DATA. Examine these parameters:

NAME	TYPE	VALUE
TEMP_UNDO_ENABLED	boolean	TRUE
UNDO_MANAGEMENT	string	AUTO
UNDO_RETENTION	integer	900
UNDO_TABLESPACE	string	UNDOTBS1

Which tablespace stores UNDO generated by USER1's DML on temporary tables?

- A. DATA
- B. SYSTEM
- C. SYSAUX
- D. TEMP
- E. UNDOTBS1

Correct Answer: D



QUESTION 3

DATADIR1 and DATADIR2 are database directory objects.

Examine this command: Which two are true about the expdp operation? (Choose two.)

```
[oracle@host01 ~] expdp system/oracle \  
> FULL=y \  
> DUMPFILE=datadir1:full%U.dmp, datadir2: full2%U.dmp \  
> FILESIZE=2G \  
> PARALLEL=4 \  
> LOGFILE= datadir1:/expfull.log \  
> JOB_NAME= expfull
```

- A. It creates a dump file for the entire database.
- B. It fails if the total size of the dump file is more than 2 GB.
- C. It creates a dump file only for objects in the SYSTEM schema.
- D. It creates a master table to store details of the export operation.
- E. It starts only when four worker processes are available.

Correct Answer: AE

Reference:

<https://docs.oracle.com/database/121/SUTIL/GUID-1E134053-692A-4386-BB77153CB4A6071A.htm#SUTIL887>

QUESTION 4

Which two types of files are opened by a database instance in the NOMOUNT state?

- A. control files
- B. the alert log
- C. the initialization parameter file
- D. data files
- E. online redo logs

Correct Answer: CD

Reference: http://www.dba-oracle.com/concepts/starting_database.htm

QUESTION 5



orcl.dmp contains a full export of the ORCL database.

This command is executed to load data from orcl.dmp into the TESTDB database:

```
[oracle@host01 ~] impdp system/oracle \  
> SCHEMAS=sh,oe \  
> REMAP_SCHEMA=sh:hr \  
> DUMPFILE=orcl.dmp \  
> EXCLUDE=index \  
> TABLE_EXISTS_ACTION=replace \  
> LOGFILE=impdp.log
```

Which two are true? (Choose two.)

- A. It skips only tables that exist in both ORCL:SH and TESTDB:HR.
- B. It drops and recreates tables that exist in both ORCL:SH and TESTDB:HR.
- C. It skips all indexes of ORCL:SH and ORCL:OE.
- D. It skips only indexes that exist in both ORCL:SH and TESTDB:HR.
- E. It drops and re-creates indexes that exist in both ORCL:SH and TESTDB:HR.

Correct Answer: DE

[1Z0-072 VCE Dumps](#)

[1Z0-072 Practice Test](#)

[1Z0-072 Study Guide](#)