1Z0-074 Q&As

Upgrade Oracle DBA 11g or 12c to 12c R2

Pass Oracle 1Z0-074 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/1z0-074.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

- **Instant Download** After Purchase
- **100% Money Back** Guarantee
- **365 Days** Free Update
- **800,000+** Satisfied Customers

QUESTION 1

You create a refreshable copy PDB, PDB_COPY, from the PDB_ORG PDB by using the REFRESH

MODE EVERY 5 MINUTES clause.

What happens every five minutes?

A. An automatic refresh is done provided PDB_COPY is closed; otherwise the refresh is differed and attempted again after five minutes.

B. PDB_COPY is automatically closed provided there is no ongoing transaction in PDB_ORG and then reopened as read-only after the refresh is complete.

C. PDB_COPY\\'S state is automatically changed to read-write and back to read-only after the refresh is complete.

D. PDB_COPY\\'S state is automatically changed to read-only and then reopened as read-write after the refresh is complete.

E. An automatic refresh is done provided PDB_COPY is in read-only mode; otherwise the refresh is deferred and attempted again after five minutes.

Correct Answer: E

QUESTION 2

Identify two types of files that are generated by the Pre-Upgrade Information tool as part of the database upgrade prerequisite checks? (Choose two.)

A. expdp scripts to export database objects belonging to the SYS schema

B. a log file containing a list of pre-upgrade patches to be applied

C. RMAN database backup scripts

D. a log file with tool recommendations and requirements

E. pre- and post-upgrade fixup scripts

Correct Answer: DE

Reference: https://docs.oracle.com/en/database/oracle/oracle-database/12.2/upgrd/using-preupgradeinformation-tool-for-oracle-database.html#GUID-C0219AF1- AD43-4097-B358-E53E48958647

QUESTION 3

In your CDB1 container database, the DB_CREATE_FILE_DEST parameter is set to `/u01/app/oracle/

oradata\\'.

CDB1 has an application container called REGIONS_APP.

There are no seeds for REGIONS_APP and there are no other application containers.

You plan to execute this command.

CREATE PLUGGABLE DATABASE AS SEED ADMIN USER seed_adm IDENTIFIED BY admin_123;

What must you do for the command to execute successfully?

A. Set the current container to REGIONS_APP

B. Set the current container to CDB1

C. Add the FILE_NAME_CONVERT clause to the command

D. Add the CREATE_FILE_DEST clause to the command

E. Set the PDB_FILE_NAME_CONVERT parameter to `/u01/app/oracle/oradata\\'

Correct Answer: E

QUESTION 4

The COMPATIBLE parameter is set to 12.2.0.0.0.

Which two statements are true about SQL identifier lengths? (Choose two.)

A. Disk group, PDB, and tablespace names are limited to 30 bytes.

B. Table names can be as long as 128 bytes.

C. Database names can be as long as 30 bytes.

D. Database link names can be as long as 30 bytes.

E. Database names can be as long as 128 bytes.

Correct Answer: BE

Reference: https://oracle-base.com/articles/12c/long-identifiers-12cr2

QUESTION 5

Which three tasks are performed automatically by Database Upgrade Assistant (DBUA) when the database to be upgraded is in archivelog mode and has the database flashback feature enabled? (Choose three.)

A. It changes Oracle kernel parameters if required

B. It creates a restore point to restore the database if the upgrade fails

C. It drops all the invalid objects

D. It calls the catctl.pl script to perform the upgrade process in parallel

E. It automatically resets the COMPATIBLE parameter value to 12.0.0

F. It modifies or creates new tablespaces as required

Correct Answer: BCD

Latest 1Z0-074 Dumps 1Z0-074 PDF Dumps 1Z0-074 Practice Test