1Z0-074^Q&As

Upgrade Oracle DBA 11g or 12c to 12c R2

Pass Oracle 1Z0-074 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/1z0-074.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which statement is true about transportable tablespaces?

A. The tablespace data file or data files to be plugged in to the target database cannot have a different block size than any of the source database\\'s data file or files.

B. The cannot be dictionary-managed tablespaces

C. The source tablespace can be encrypted D. They can be administrative tablespaces such as SYSTEM or SYSAUX

Correct Answer: A

QUESTION 2

You set the maximum size of the diagnostic collection repository by issuing this command as root.tfact1 set reposizeMB=5120 You then notice that the current repository size is 5 GB and that old files are not being purged.

Which statement is true?

A. The tfact1 command fails because it can be set only by the Oracle software owner.

B. TFA collects new diagnostic data if the Max Size of TFA Log parameter value is greater than 5 GB.

C. TFA does not collect new diagnostic data when the maximum repository size is reached.

D. TFA collects new diagnostic data but logs a warning message.

E. TFA collects new diagnostic data while the repository directory\\'s file system has free space.

Correct Answer: A

Reference: https://docs.oracle.com/en/database/oracle/oracle-database/12.2/atnms/provisioning-access-to-users.html#GUID-C3CF0056-0869-4AC2-99CC- 9D0ACF848A46

QUESTION 3

You notice a large number of latch: cache buffers lru chain and latch: cache buffers chains wait events.

Which four might be reasons for these? (Choose four.)

A. The same small number of blocks are repeatedly accessed by different sessions simultaneously.

B. The buffer cache is undersized.

C. Cursors are closed explicitly after each execution.

D. A large number of connected user sessions are idle.

E. DBWR is not writing the dirty buffers fast enough.

F. Blocks are ageing out of the buffer cache frequently.

G. Too many sort operations are being performed.

Correct Answer: AEFG

QUESTION 4

Identify four prerequisites for issuing the RMAN RECOVER TABLE command starting from ORACLE Database 12c Release 2.

A. The COMPATIBLE parameter must be set to 12.0 or greater.

B. The database must be in ARCHIVELOG mode.

C. FLASHBACK DATABASE must be enabled.

D. RMAN must use a recovery catalog.

E. The database must be in the READ WRITE state.

F. RMAN can recover the table only from a backupset.

G. An export dump file of the table must be available.

H. There must be sufficient space to start the auxiliary instance.

Correct Answer: ABEF

Reference: https://docs.oracle.com/database/121/BRADV/rcmresind.htm#BRADV697

QUESTION 5

In a Database Cloud Service (DBCS) environment, which pre-created user has sudo privileges to run certain root commands?

A. grid

B. oracle

C. opc

D. nobody

E. oinstall

Correct Answer: C

Reference: https://docs.oracle.com/en/cloud/iaas/compute-iaas-cloud/stcsg/accessing-oracle-linuxinstance-using-ssh.html#GUID-D947E2CC-0D4C-43F4-B2A9- A517037D6C11