



1Z0-1033-20^{Q&As}

Oracle CPQ Cloud Service 2020 Implementation Essentials

Pass Oracle 1Z0-1033-20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-1033-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Identify two standard ways to modify the overall integration behavior of CPQ Cloud and Salesforce. (Choose two.)

- A. Use the Site Setup object and CPQ Cloud Commerce Package settings in Salesforce to meet varying customer requirements.
- B. Write a Salesforce API to change integration behavior in CPQ Cloud.
- C. Use the integration XSLs within the Commerce process to modify integration behavior at the object and field levels.
- D. Write a custom BML Util library function in CPQ Cloud.

Correct Answer: AC

QUESTION 2

Given the following code:

```
xmlPayload = "<?xml version= \"1.0\" encoding= \"UTF-8\"?><library><book lang= \"en\">Spring in  
Action</book><book lang= \"fr\">J2EE Blueprint</book></library>\";  
xpath = string [1];  
xpath [0] = \"/library/book/@lang\";  
output = rwxmllmultiple (xmlPayload, xpath);  
  
for xpath in xpath {  
    print (\" (key) = ( \" + xpath + \" ) \");  
    values = string [1];  
    values = get (output, xpath);  
  
    for value in values {  
        print (\" (value) = (\" + value + \" ) \");  
    }  
}  
return \" \";
```

What will be returned?

- A. (key) = (/library/book/@lang)(value) = (en)(value) = (fr)
- B. (key) = (/lang/book/library)(value) = (en)(value) = (fr)
- C. (key) = (/library/book/@lang)(value) = (English)(value) = (French)
- D. (key) = (/library/book/@lang)(value) = (Spring in Action)(value) = (J2EE Blueprint)

Correct Answer: B

QUESTION 3

What would you do if a partner organization is no longer needed and the access of all users needs to be removed?



- A. Proxy log in as superuser, go to the list of partner organizations, and select the partner organization and delete it.
- B. Go to the list of partner organizations, perform a proxy log in as the superuser of the partner organization, go to the list of users, select all active users, and click Inactivate.
- C. Proxy log in as superuser, go to the list of partner organizations, and select Denied in the Access drop-down list.
- D. Open the list of partner organizations and set the value of Maximum Users to "0".

Correct Answer: B

QUESTION 4

In order to obtain additional sets of records when performing a REST call, which of the following sample URLs would a user use to obtain an additional 1000 records?

- A. <https://testsite.bigmachines.com/rest/v1/commerceDocumantsExampleTransactions?totalResults=>
- B. <https://testsitebigmachines.com/rest/v1/commerceDocumantsExampleTransactions?pffset=1000>
- C. <https://testsite.bigmachines.com/rest/v1/commerceDocumentsExampleTransactions?set=1000>
- D. <https://testsite.bigmachines.com/rest/v1/commerceDocumentsExampletransactions?limit=1000>

Correct Answer: D

QUESTION 5

After saving content to the Content library, you check the Content library Tree and find that the new content is missing. What would be your immediate action?

- A. Close, refresh dynamic sources, and re-open the Dynamic Data window.
- B. Close and re-open the Content Library Tree.
- C. Deploy Commerce.
- D. Deploy Config and Commerce.

Correct Answer: B

[Latest 1Z0-1033-20 Dumps](#)

[1Z0-1033-20 VCE Dumps](#)

[1Z0-1033-20 Study Guide](#)