



1Z0-1041-20^{Q&As}

Oracle Cloud Platform Enterprise Analytics 2020 Specialist

Pass Oracle 1Z0-1041-20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-1041-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You want to create a filter that restricts access to the Fact table so that Revenue is only visible to users assigned to a particular role. In which tab should you set this up?

- A. Permissions
- B. Row Level Data
- C. Table filter
- D. Data Filters

Correct Answer: D

You can define data filters for fact tables, dimension tables, and columns that provide row-level security for data model objects. For example, you can create a filter that restricts access to the Products table so that only certain brands are visible to users assigned to a particular role. <https://docs.oracle.com/en/cloud/paas/bi-cloud/bilpd/securing-access-data.html>

QUESTION 2

How should you use a machine learning model within a canvas of an Oracle Analytics Cloud project?

- A. Create a custom calculation.
- B. Create a scenario using the required model.
- C. Use the machine learning model visualization.
- D. Create a data sequence.

Correct Answer: B

QUESTION 3

How should you determine the accuracy of a machine learning model created in Oracle Analytics Cloud?

- A. Open the Inspect dialog for a given machine learning model and review the F1 score.
- B. Run the machine learning model with various filter values applied.
- C. Create a data flow that includes a histogram.
- D. Use the debug option in the data flow where the model was created.

Correct Answer: A

QUESTION 4



Which two statements pertaining to Action Links are false?

- A. Navigation from one Analysis to another Analysis is not possible if they reside In different folders.
- B. The Navigation option on a column can be enabled conditionally.
- C. Navigation from one Analysis to another Analysis only works when both analyses are created from single subject area.
- D. Presentation variables can be used while navigating from one Analysis to another Analysis.

Correct Answer: AC

QUESTION 5

Your customer has a hybrid aggregate Essbase cube. They want to be able to model what-if scenarios with hypothetical data and are considering using the Sandbox dimension. Which two statements represent correct functionality of the Sandbox dimension?

- A. Using the sandbox dimension has storage overhead that would be required to replicate data from the base environment.
- B. The sandbox dimension has one base member and multiple sandbox members.
- C. Initially, the state of each sandbox member is #missing.
- D. When you submit changes to a base member, changes are seen and stored in each sandbox member.
- E. After working in the sandbox environment, you can commit changes to the base environment or even to another sandbox target.

Correct Answer: BE

Reference <https://docs.oracle.com/en/cloud/paas/analytics-cloud/adess/testing-changes-sandboxdimension.html>

[Latest 1Z0-1041-20 Dumps](#)

[1Z0-1041-20 PDF Dumps](#)

[1Z0-1041-20 Practice Test](#)