1Z0-105^(Q&As)

Oracle Linux 6 Advanced System Administration

Pass Oracle 1Z0-105 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/1z0-105.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Consider the device-mapper-multipath package and configuration. Which statement is true?

A. /etc/multipath.conf is created by the package installation process.

B. /etc/multipath.conf must be created after installation by an administrator by copying from /usr/share/ doc/device-mapper-multipath-/.

C. mpathconf can modify the operating behavior of multipathing and persistent changes to the configuration file.

D. The multipath command can modify the multipath service run-level configuration and persistent changes to the configuration file.

Correct Answer: D

QUESTION 2

You want to add a new user inside a running container.

Which command allows you to run the useradd command inside the container?

A. nsexec –n -e "useradd "

B. nsenter –n --exec=useradd

C. lxc-attach –n -- useradd

D. run –n -- useradd

Correct Answer: D

QUESTION 3

You must configure DHCPD on a system with one interface to support only the clients that require a fixed address.

What must you define in /etc/dhcp/dhcpd.conf to meet this requirement?

A. one SUBNET definition, without a RANGE definition, and multiple HOST definitions

B. one SUBNET definition, without a RANGE definition, and multiple HOST definitions

C. only one SUBNET definition with a RANGE definition

D. only one SUBNET definition without a RANGE definition

Correct Answer: C

QUESTION 4

Which three statements are true about the architecture and capabilities provided by SAMBA when installed on an Oracle Linux server?

A. The Oracle Linux server may act as a SAMBA server.

B. Printers on the Oracle Linux system may be shared with Windows clients.

C. SAMBA uses UDP to communicate with Windows servers.

D. Printers on a Windows system may not be shared with oracle Linux clients.

E. The Oracle Linux Server may act as a SAMBA client.

Correct Answer: BCE

QUESTION 5

You want to create a new LUN, LUN ID =1, on a new target, target ID = 2. Inspect the current state of targets and LUNs in the output from tgt-admin –s. The output is filtered to show only target and LUN associations. [root@EDFAR9P0 init.d]# tgt-admin –s | egrep –i 'target|lun' Target 1: iqn.2013-03.com.example.mypc:1 LUN information: LUN: 0 LUN: 1 LUN: 2 LUN: 3

You want to add a new LUN to a new target by using the /iSCSIsharedDisk/physDisk4.img disk image file.

Which two options would you use to do this?

A. tgt-setup-lun –t 2 tgt-setup-lun –d /iSCSIsharedDisk/physDisk4.img –t 2

B. tgt-setup-lun –d /iSCSIsharedDisk/physDisk4.img –n 2

C. tgt-admin --op new \ --mode target \ --tid 2\ --targetname iqn.2013-03.com.example.mypc:2 tgt-admin --op new \

D. --mode logicalunit \ --tid 2 \ --lun 1 \ --backing-store /iSCSIsharedDisk/physDisk4.img

E. tgtadm -- op new \ --mode target \ --tid 2\ --targetname iqn.2013-03.com.example.mypc:2 \ --lun 1 \ --backing-store /iSCSIsharedDisk/physDisk4.img

F. tgt-admin –d /iSCSIsharedDisk/physDisk4.img –n 2

Correct Answer: AE