



# 1Z0-1067-22<sup>Q&As</sup>

Oracle Cloud Infrastructure 2022 Cloud Operations Professional

## Pass Oracle 1Z0-1067-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-1067-22.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

You are using Oracle Cloud Infrastructure (OCI) services across several regions: us-phoenix-1, usashburn-1, uk-london-1 and ap-tokyo-1. You have created a separate administrator group for each region: PHX-Admins, ASH-Admins, LHR-Admins and NRT-Admins, respectively.

You want to restrict admin access to a specific region. E.g., PHX-Admins should be able to manage all resources in the us-phoenix-1 region only and not any other OCI regions.

What IAM policy syntax is required to restrict PHX-Admins to manage OCI resources in the us-phoenix-1 region only? (Choose the best answer.)

- A. Allow group PHX-Admins to manage all-resources in tenancy where request.region= 'phx'
- B. Allow group PHX-Admins to manage all-resources in tenancy where request.permission= 'phx'
- C. Allow group PHX-Admins to manage all-resources in tenancy where request.target= 'phx'
- D. Allow group PHX-Admins to manage all-resources in tenancy where request.location= 'phx'

Correct Answer: A

---

### QUESTION 2

The boot volume on your Oracle Linux instance has run out of space. Your application has crashed due to a lack of swap space, forcing you to increase the size of the boot volume.

Which step should NOT be included in the process used to solve the issue? (Choose the best answer.)

- A. Reattach the boot volume and restart the instance.
- B. Attach the resized boot volume to a second instance as a data volume; extend the partition and grow the file system in the resized boot volume.
- C. Stop the instance and detach the boot volume.
- D. Resize the boot volume by specifying a larger value than the boot volume's current size.
- E. Create a RAID 0 configuration to extend the boot volume file system onto another block volume.

Correct Answer: B

---

### QUESTION 3

One of your development teams has asked for your help to standardize the creation of several compute instances that must be provisioned each day of the week. You initially write several Command Line Interface (CLI) commands with all appropriate configuration parameters to achieve this task later determining this method lacks flexibility.



Which command generates a JSON-based template that Oracle Cloud Infrastructure (OCI) CLI can use to provision these instances on a regular basis? (Choose the best answer.)

- A. `oci compute instance create --generate-cli-skeleton`
- B. `oci compute instance launch --generate-cli-skeleton`
- C. `oci compute provision-instance --generate-full-command-json-input`
- D. `oci compute instance launch --generate-full-command-json-input`

Correct Answer: D

Reference: <https://docs.oracle.com/en-us/iaas/Content/API/SDKDocs/cliusing.htm>

---

#### QUESTION 4

You have been monitoring your company's applications running in Oracle Cloud Infrastructure (OCI) and notice that the application is using OCI Traffic Management service. This service uses a traffic steering policy to distribute the DNS traffic based on subnet addresses in a rule set.

Which steering policy is in use in this particular case? (Choose the best answer.)

- A. Load Balancing policy
- B. Geolocation steering
- C. ASN steering policy
- D. IP Prefix steering

Correct Answer: C

Reference: <https://k21academy.com/1z0-997/traffic-management-in-oci/>

---

#### QUESTION 5

You have been asked to review a network design for Oracle Cloud Infrastructure (OCI) by a major client. The client's IT team needs to provision two Virtual Cloud Networks (VCNs) for a major application. The application uses a large number of virtual machine instances. Additionally, in the future, a VCN peering will be required to allow connectivity between the VCNs.

Which of the following are valid IP ranges to consider? (Choose the best answer.)

- A. 10.0.0.0/30 and 192.168.0.0/30
- B. 10.0.0.0/8 and 11.0.0.0/8
- C. 10.0.8.0/21 and 10.0.16.0/22
- D. 10.0.0.0/16 and 10.0.64.0/24

Correct Answer: D



VCE & PDF

PassApply.com

<https://www.passapply.com/1z0-1067-22.html>

2024 Latest passapply 1Z0-1067-22 PDF and VCE dumps Download

---

Reference: <https://blogs.oracle.com/developers/setting-up-a-virtual-cloud-network-vcn-in-oracle-cloudinfrastructure>

[1Z0-1067-22 PDF Dumps](#)

[1Z0-1067-22 VCE Dumps](#)

[1Z0-1067-22 Practice Test](#)