



1Z0-1067-22^{Q&As}

Oracle Cloud Infrastructure 2022 Cloud Operations Professional

Pass Oracle 1Z0-1067-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-1067-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A subscriber of an Oracle Cloud Infrastructure (OCI) Notifications service topic complained about not receiving messages from the service.

Which option can help you debug this issue? (Choose the best answer.)

- A. If OCI Notifications service does not receive an acknowledgement from a subscription endpoint, the service drops the message. Confirm that the subscriber is always online to receive messages to help debug the issue.
- B. If OCI Notifications service does not receive an acknowledgement from a subscription endpoint, check the NumberOfNotificationFailed metric through the OCI Monitoring service for failed messages. Copy these messages to an OCI Object Storage bucket. Make sure the subscriber has the required credentials to access this bucket to help debug the issue.
- C. If OCI Notifications service does not receive an acknowledgement from a subscription endpoint, the service tries to redeliver messages for up to one day. Make sure that the subscriber is online at least once a day to help debug the issue.
- D. If OCI Notifications service does not receive an acknowledgement from a subscription endpoint, the service tries to redeliver messages for up to two hours. Configure an alarm on the NumberOfNotificationFailed metric through the OCI Monitoring service to help debug the issue.

Correct Answer: D

QUESTION 2

You have created the following JSON file to specify a lifecycle policy for one of your object storage buckets:



```
[
  {
    "name": "Archive LOGS",
    "action": "ARCHIVE",
    "objectNameFilter": {
      "inclusionPrefixes": [
        "LOGS"
      ]
    },
    "timeAmount": 30,
    "timeUnit": "DAYS",
    "isEnabled": true
  },
  {
    "name": "DELETE_LOGS",
    "action": "DELETE",
    "objectNameFilter": {
      "inclusionPrefixes": [
        "LOGS"
      ]
    },
    "timeAmount": 120,
    "timeUnit": "DAYS",
    "isEnabled": true
  }
]
```

How will this policy affect the objects that are stored in the bucket? (Choose the best answer.)

- A. Objects with the prefix "LOGS" will be retained for 120 days and then deleted permanently.
- B. Objects containing the name prefix LOGS will be automatically migrated from standard Storage to Archive storage 30 days after the creation date. The object will be deleted 120 days after creation.
- C. The objects with prefix "LOGS" will be deleted 30 days after creation date.
- D. Objects containing the name prefix LOGS will be automatically migrated from standard Storage to Archive storage 30 days after the creation date. The object will be migrated back to standard Storage 120 days after creation.

Correct Answer: B

QUESTION 3



You are asked to deploy a new application that has been designed to scale horizontally. The business stakeholders have asked that the application be deployed in us-phoenix-1.

Normal usage requires 2 OCPUs. You expect to have few spikes during the week, that will require up to 4 OCPUs, and a major usage uptick at the end of each month that will require 8 OCPUs.

What is the most cost-effective approach to implement a highly available and scalable solution? (Choose the best answer.)

- A. Create an instance pool with a VM.Standard2.2 shape instance configuration. Setup the autoscaling configuration to use 2 availability domains and have a minimum of 2 instances, to handle the weekly spikes, and a maximum of 4 instances.
- B. Create an instance with 1 OCPU shape. Use the Resize Instance action to scale up to a larger shape when more resources are needed.
- C. Create an instance with 1 OCPU shape. Use a CLI script to clone it when more resources are needed.
- D. Create an instance pool with a VM.Standard2.1 shape instance configuration. Setup the autoscaling configuration to use 2 availability domains and have a minimum of 2 instances and a maximum of 8 instances.

Correct Answer: A

QUESTION 4

A developer has created a file system in Oracle Cloud Infrastructure (OCI) File Storage service. She launches an Oracle Linux compute instance and successfully mounts the file system from the instance.

She then tries writing to the file system from the compute instance using the following command:

```
touch /mnt/yourmountpoint/helloworld
```

But gets an error message:

```
touch: cannot touch '/mnt/yourmountpoint/helloworrl': Permission denied
```

Which is a reason for this error? (Choose the best answer.)

- A. 'touch' command is not available in Oracle Linux by default.
- B. Service limits or quota for file system writes have been breached.
- C. User is not part of any OCI Identity and Access Management group with write permissions to File Storage service.
- D. User is connecting as the default Oracle Linux user 'opc' instead of 'root' user.

Correct Answer: C

Reference: <https://itectec.com/unixlinux/touch-cannot-touch-test-permission-denied/>

QUESTION 5



You have created a group for several auditors. You assign the following policies to the group:

```
Allow group Auditors to inspect all-resources in tenancy
Allow group Auditors to read instances in tenancy
Allow group Auditors to read audit-events in tenancy
```

What actions are the auditors allowed to perform within your tenancy? (Choose the best answer.)

- A. The Auditors can view resources in the tenancy.
- B. Auditors are able to create new instances in the tenancy.
- C. The Auditors are able to delete resource in the tenancy.
- D. Auditors are able to view all resources in the compartment.

Correct Answer: D

[1Z0-1067-22 PDF Dumps](#)

[1Z0-1067-22 VCE Dumps](#)

[1Z0-1067-22 Practice Test](#)