



1Z0-1072^{Q&As}

Oracle Cloud Infrastructure 2019 Architect Associate

Pass Oracle 1Z0-1072 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-1072.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two resources reside exclusively in a single availability domain? (Choose two.)

- A. compute instance
- B. block volume
- C. object storage
- D. groups
- E. virtual cloud network

Correct Answer: AB

Availability Domain-Specific Resources

DB Systems

ephemeral public IPs

instances: They can be attached only to volumes in the same availability domain.

subnets: When you create a subnet, you choose whether it is regional or specific to an availability domain.

Oracle recommends using regional subnets.

volumes: They can be attached only to an instance in the same availability domain.

QUESTION 2

You are designing a networking infrastructure in multiple Oracle Cloud Infrastructure regions and require connectivity between workloads in each region. You have created a dynamic routing gateway (DRG) and a remote peering connection. However, your workloads are unable to communicate with each other.

What are two reasons for this? (Choose two.)

- A. The security lists associated with subnets in each virtual cloud network (VCN) do not have the appropriate ingress rules
- B. Identity and Access Management (IAM) policies have not been defined to allow connectivity across the two VCNs in different regions
- C. A local peering gateway needs to be created in each VCN with a default route rule added in the route table forwarding the traffic to the local peering gateway
- D. An Internet gateway needs to be created in each VCN with a default route rule added in the route table forwarding the traffic to the Internet Gateway
- E. The route table associated with subnets in each VCN do not have a route rule defined to forward the traffic to their respective DRGs



Correct Answer: AE

Setting Up a Remote Peering

Create the RPCs: Each VCN administrator creates an RPC for their own VCN's DRG.

Share information: The administrators share the basic required information.

Set up the required IAM policies for the connection: The administrators set up IAM policies to enable the connection to be established.

Establish the connection: The requestor connects the two RPCs (see Important Remote Peering Concepts for the definition of the requestor and acceptor).

Update route tables: Each administrator updates their VCN's route tables to enable traffic between the peered VCNs as desired.

Update security rules: Each administrator updates their VCN's security rules to enable traffic between the peered VCNs as desired.

QUESTION 3

You have deployed a compute instance (VM.Standard2.24) to run an Oracle database. With this set up, you run into some performance issues and want to leverage an OCI Dense IO shape (VM.DenseIO2.24), with which you get 25.6 TB local NVMe SSD. You do not want to lose the configuration changes you made to the instance. Which of the following TWO steps ARE NOT required to make this transition?

- A. Terminate the VM.Standard2.24 instance and do not preserve the boot volume
- B. Create a new instance using the VM.DenseIO2.24 shape using the preserved boot volume and move the Oracle Database data to NVMe disks
- C. Terminate the VM.Standard2.24 instance and preserve the boot volume
- D. Create a new instance using a VM.DenseIO2.24 shape using the preserved boot volume and move the Oracle Database data to block volumes

Correct Answer: AD

You can permanently terminate (delete) instances that you no longer need. Any attached VNICs and volumes are automatically detached when the instance terminates. Eventually, the instance's public and private IP addresses are released and become available for other instances. By default, the instance's boot volume is deleted when you terminate the instance, however you can preserve the boot volume associated with the instance, so that you can attach it to a different instance as a data volume, or use it to launch a new instance.

Dense I/O Shapes Designed for large databases, big data workloads, and applications that require high-performance local storage. DenseIO shapes include locally-attached NVMe-based SSDs.

so once you create the VM.DenseIO you need to move the Database to locally-attached NVMe-based SSDs

QUESTION 4

Which two use Oracle dynamic routing gateway (DRG) for connectivity? (Choose two.)



- A. Remote virtual cloud network (VCN) peering across region
- B. Oracle IPsec VPN
- C. Local VCN peering
- D. Oracle Cloud Infrastructure FastConnect public peering

Correct Answer: AB

References: <https://docs.cloud.oracle.com/en-us/iaas/Content/Network/Concepts/fastconnectoverview.htm>

You use a DRG when connecting your existing on-premises network to your virtual cloud network (VCN) with one (or both) of these:

IPSec VPN

Oracle Cloud Infrastructure FastConnect

You also use a DRG when peering a VCN with a VCN in a different region:

Remote VCN Peering (Across Regions)

QUESTION 5

You have successfully configured identity federation between Oracle Cloud Infrastructure (OCI) and Oracle Identity Cloud Services (IDCS). A new project manager wants access to OCI for her team and provides the name of an existing group within IDCS to use when granting access.

How do you configure federation to allow the project team access to OCI resources?

- A. Create a new IAM group in OCI and map it to the existing IDCS group. Create a new policy in IDCS and reference the name of the IAM group.
- B. Create a new Identity and Access Management (IAM) policy in OCI and reference the name of the IDCS group in each policy statement.
- C. Create a new compartment in OCI with the same name as the existing IDCS group. Create an IAM policy that references the new compartment and the name of the IDCS group.
- D. Create a new IAM group in OCI and map it to the existing IDCS group. Create a new IAM policy and reference the name of the IAM group in each policy statement.

Correct Answer: D

[Latest 1Z0-1072 Dumps](#)

[1Z0-1072 PDF Dumps](#)

[1Z0-1072 Exam Questions](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © passapply, All Rights Reserved.