



# 1Z0-1076-20<sup>Q&As</sup>

Oracle Cloud Platform Systems Management 2020 Specialist

## Pass Oracle 1Z0-1076-20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-1076-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

A customer has a target host that doesn't support agent installation but does not have the capability to send logs via syslog. How should you configure the agent to receive syslog messages?

- A. Home > Application Navigator > Agents > Cloud Agent > Syslog Listener
- B. Home > Log Analytics > Add Data > Parser > Source Type > Syslog Listener
- C. Home > Log Analytics > Add Data > Sources > Create > Source Type > Syslog Listener
- D. Home > Application Navigator > Agents > Gateway Agent > Syslog Listener

Correct Answer: C

Reference: <https://docs.oracle.com/en/cloud/paas/management-cloud/logcs/using-oracle-log-analytics.pdf>

(p.129)

---

### QUESTION 2

An Oracle IT Analytics customer has configured the service to source and analyze their Automatic Workload Repository (AWR) data, but no data is found. What should they check?

- A. that they've licensed the Oracle AWR Pack and that STATISTICS\_LEVEL is set to TYPICAL or ALL enabling the database to populate statistics
- B. that they've licensed the Oracle Performance Pack and that STATISTICS\_LEVEL is set to TYPICAL or ALL enabling the database to populate statistics
- C. that they've licensed the Oracle Tuning Pack and that STATISTICS\_LEVEL is set to TYPICAL or ALL enabling the database to populate statistics
- D. that they've licensed the Oracle Diagnostics Pack and that STATISTICS\_LEVEL is set to TYPICAL or ALL enabling the database to populate statistics

Correct Answer: B

---

### QUESTION 3

When Oracle Management Cloud is integrated with on-premises Oracle Enterprise Manager Cloud Control, which two options would you use to ensure that an Oracle Management Cloud agent has the proper file access to function? (Choose two.)

- A. Use setfacl to give the Oracle Enterprise Manager Agent user read permission on the Cloud agent base directory.
- B. Use chown to change ownership of all Oracle Enterprise Manager Agent files to match the owner of the Cloud agent.
- C. Use setfacl to give the Cloud Agent user read permission on the Oracle Enterprise Manager agent base directory.
- D. Install Cloud agent as the same user as the Oracle Enterprise Manager agent.



Correct Answer: CD

Reference: <https://docs.oracle.com/en/cloud/paas/management-cloud/emaig/installing-and-managingoraclemanagement-cloud-agents.pdf> (p.13)

---

#### QUESTION 4

A customer wants to compare WebLogic Heap usage from weekday to weekend. How should you configure Oracle IT Analytics to perform and display that analysis?

- A. Use a Seasonal Filter for the relevant days in the time series.
- B. Perform a weekday analysis and then a weekend analysis, then overlay them in Excel.
- C. From the Oracle IT Analytics display, navigate to the Administration page and configure target collectors to perform seasonal data harvesting.
- D. Create two separate targets on Enterprise Manager Cloud Control, one collecting data only for weekends and other only on weekdays.

Correct Answer: D

---

#### QUESTION 5

Which is an additional capability when a customer uses the Oracle Log Analytics and Application Performance Monitoring together?

- A. drill down to logs related to and in context to a specific application server
- B. receive alerts when an error is logged
- C. drill down to the JDBC connect string
- D. view AJAX performance in the log files

Correct Answer: A

[Latest 1Z0-1076-20 Dumps](#)

[1Z0-1076-20 Practice Test](#)

[1Z0-1076-20 Study Guide](#)