



1Z0-1085-20^{Q&As}

Oracle Cloud Infrastructure Foundations 2020 Associate

Pass Oracle 1Z0-1085-20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-1085-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

_____ is a fully-managed, scalable, and highly available service that you can use to deploy your containerized applications to the cloud.

- A. Oracle Cloud Infrastructure Container Engine for Kubernetes
- B. Oracle Cloud Infrastructure Container Engine for Containerization
- C. Oracle Cloud Infrastructure Container Engine for Deployment
- D. Oracle Cloud Infrastructure Container Engine for Docker

Correct Answer: A

Oracle Cloud Infrastructure Container Engine for Kubernetes is a fully-managed, scalable, and highly available service that you can use to deploy your containerized applications to the cloud. Use Container Engine for Kubernetes (sometimes abbreviated to just OKE) when your development team wants to reliably build, deploy, and manage cloud-native applications. You specify the compute resources that your applications require, and Container Engine for Kubernetes provisions them on Oracle Cloud Infrastructure in an existing OCI tenancy. You can access Container Engine for Kubernetes to define and create Kubernetes clusters using the Console and the REST API. You can access the clusters you create using the Kubernetes command line (kubectl), the Kubernetes Dashboard, and the Kubernetes API. Container Engine for Kubernetes is integrated with Oracle Cloud Infrastructure Identity and Access Management (IAM), which provides easy authentication with native Oracle Cloud Infrastructure identity functionality. Reference: <https://docs.cloud.oracle.com/en-us/iaas/Content/ContEng/Concepts/contengoverview.htm>

QUESTION 2

Which capability enables you to search, purchase, and start using software in your Oracle Cloud Infrastructure (OCI) tenancy?

- A. OCI Marketplace
- B. OCI OS Management
- C. OCI Resource Manager
- D. OCI Registry

Correct Answer: A

Oracle Cloud Infrastructure Marketplace is an online store that offers solutions specifically for customers of Oracle Cloud Infrastructure. In the Oracle Cloud Infrastructure Marketplace catalog, you can find listings for two types of solutions from Oracle and trusted partners: images and stacks. These listing types include different categories of applications. Also, some listings are free and others require payment. Images are templates of virtual hard drives that determine the operating system and software to run on an instance. You can deploy image listings on an Oracle Cloud Infrastructure Compute instance. Marketplace also offers stack listings. Stacks represent definitions of groups of Oracle Cloud Infrastructure resources that you can act on as a group. Each stack has a configuration consisting of one or more declarative configuration files. With an image or a stack, you have a customized, more streamlined way of getting started with a publisher's software.

Reference: <https://docs.cloud.oracle.com/en-us/iaas/Content/Marketplace/Concepts/marketoverview.htm>



QUESTION 3

How is total network throughput allocated to a Virtual Machine (VM) Instance?

- A. Network bandwidth is variable
- B. Network bandwidth is proportional to the number of OCPUs in the Instance shape
- C. When launching a compute instance, customers may select the desired maximum network bandwidth
- D. Each VM is allocated 10 Gbps of network bandwidth regardless of the selected shape

Correct Answer: B

A shape is a template that determines the number of CPUs, amount of memory, and other resources that are allocated to an instance.

The network bandwidth is directly proportional to the number of OCPUs in the instance shape!

Flexible Shapes

A flexible shape is a shape with a customizable number of OCPUs. When you [create a VM instance](#) using the flexible shape, you select the number of OCPUs that you need for the workloads that you will run on the instance. The amount of memory, network bandwidth, and number of VNICs scale proportionately with the number of OCPUs.

The VM.Standard.E3.Flex shape, a [VM standard shape](#), is a flexible shape.



Standard Shapes

Designed for general purpose workloads and suitable for a wide range of applications and use cases. Standard shapes provide a balance of cores, memory, and network resources. Standard shapes are available with Intel or AMD processors.

These are the bare metal standard series:

- **BM.Standard1:** X5-based standard compute. Processor: Intel Xeon E5-2699 v3. Base frequency 2.3 GHz, max turbo frequency 3.6 GHz.
X5-based shapes availability is limited to monthly universal credit customers existing on or before November 9, 2018, in the US West (Phoenix), US East (Ashburn), and Germany Central (Frankfurt) regions.
- **BM.Standard.B1:** X6-based standard compute. Processor: Intel Xeon E5-2699 v4. Base frequency 2.2 GHz, max turbo frequency 3.6 GHz.
- **BM.Standard2:** X7-based standard compute. Processor: Intel Xeon Platinum 8167M. Base frequency 2.0 GHz, max turbo frequency 2.4 GHz.
- **BM.Standard.E2:** E2-based standard compute. Processor: AMD EPYC 7551. Base frequency 2.0 GHz, max boost frequency 3.0 GHz.
- **BM.Standard.E3:** E3-based standard compute. Processor: AMD EPYC 7742. Base frequency 2.25 GHz, max boost frequency 3.4 GHz.



VM Shapes

The following shapes are available for VMs:

- [Standard Shapes](#)
- [Dense I/O Shapes](#)
- [GPU Shapes](#)

Network bandwidth is based on expected bandwidth for traffic within a VCN.

Standard Shapes

Designed for general purpose workloads and suitable for a wide range of applications and use cases. Standard shapes provide a balance of cores, memory, and network resources. Standard shapes are available with Intel or AMD processors.

These are the VM standard series:

- **VM.Standard1:** X5-based standard compute. Processor: Intel Xeon E5-2699 v3. Base frequency 2.3 GHz, max turbo frequency 3.6 GHz.
X5-based shapes availability is limited to monthly universal credit customers existing on or before November 9, 2018, in the US West (Phoenix), US East (Ashburn), and Germany Central (Frankfurt) regions.
- **VM.Standard.B1:** X6-based standard compute. Processor: Intel Xeon E5-2699 v4. Base frequency 2.2 GHz, max turbo frequency 3.6 GHz.
- **VM.Standard2:** X7-based standard compute. Processor: Intel Xeon Platinum 8167M. Base frequency 2.0 GHz, max turbo frequency 2.4 GHz.
- **VM.Standard.E2.1.Micro:** E2-based standard compute. Processor: AMD EPYC 7551. Base frequency



- **VM.Standard.E3:** E3-based standard compute, with a flexible number of OCPUs. Processor: AMD EPYC 7742. Base frequency 2.25 GHz, max boost frequency 3.4 GHz.

Shape	OCPU	Memory (GB)	Local Disk (TB)	Max Network Bandwidth	Max VNICs Total: Linux	Max VNICs Total: Windows
VM.Standard1.1	1	7	Block storage only	600 Mbps	2	1
VM.Standard1.2	2	14	Block storage only	1.2 Gbps	2	1
VM.Standard1.4	4	28	Block storage only	1.2 Gbps	4	1
VM.Standard1.8	8	56	Block storage only	2.4 Gbps	8	1
VM.Standard1.16	16	112	Block storage only	4.8 Gbps	16	1
VM.Standard.B1.1	1	12	Block storage only	600 Mbps	2	2
VM.Standard.B1.2	2	24	Block storage only	1.2 Gbps	2	2
VM.Standard.B1.4	4	48	Block storage only	2.4 Gbps	4	4
VM.Standard.B1.8	8	96	Block storage only	4.8 Gbps	8	8
VM.Standard.B1.16	16	192	Block storage only	9.6 Gbps	16	16
VM.Standard2.1	1	15	Block storage only	1 Gbps	2	2

Reference: <https://docs.cloud.oracle.com/en-us/iaas/Content/Compute/References/computeshapes.htm>

QUESTION 4

Which capability can be used to protect against unexpected hardware or power supply failures within an availability domain?

- A. Fault Domains
- B. Compartments
- C. Top of Rack Switches
- D. Power Distribution Units


Correct Answer: A



A fault domain is a grouping of hardware and infrastructure within an availability domain. Each availability domain contains three fault domains. Fault domains provide anti-affinity: they let you distribute your instances so that the instances are not on the same physical hardware within a single availability domain. A hardware failure or Compute hardware maintenance event that affects one fault domain does not affect instances in other fault domains. In addition, the physical hardware in a fault domain has independent and redundant power supplies, which prevents a failure in the power supply hardware within one fault domain from affecting other fault domains.

Usually fault domains do the following things:

- 1) Protect against unexpected hardware failures or power supply failures.
- 2) Protect against planned outages because of Compute hardware maintenance.



Reference: <https://docs.cloud.oracle.com/en-us/iaas/Content/General/Concepts/regions.htm>

QUESTION 5

Which statement about Oracle Cloud Infrastructure (OCI) shared security model is true?

- A. You are responsible for managing security controls within the physical OCI network.
- B. You are not responsible for any aspect of security in OCI.
- C. You are responsible for securing all data that you place in OCI D. You are responsible for securing the hypervisor within OCI Compute service.



Correct Answer: C

Oracle Cloud Infrastructure offers best-in-class security technology and operational processes to secure its enterprise cloud services. However, for you to securely run your workloads in Oracle Cloud Infrastructure, you must be aware of your security and compliance responsibilities. By design, Oracle provides security of cloud infrastructure and operations (cloud operator access controls, infrastructure security patching, and so on), and you are responsible for securely configuring your cloud resources. Security in the cloud is a shared responsibility between you and Oracle. In a shared, multi-tenant compute environment, Oracle is responsible for the security of the underlying cloud infrastructure (such as data-center facilities, and hardware and software systems) and you are responsible for securing your workloads and configuring your services (such as compute, network, storage, and database) securely. In a fully isolated, single-tenant, bare metal server with no Oracle software on it, your responsibility increases as you bring the entire software stack (operating systems and above) on which you deploy your applications. In this environment, you are responsible for securing your workloads, and configuring your services (compute, network, storage, database) securely, and ensuring that the software components that you run on the bare metal servers are configured, deployed, and managed securely. More specifically, your and Oracle's responsibilities can be divided into the following areas: Identity and Access Management (IAM): As with all Oracle cloud services, you should protect your cloud access credentials and set up individual user accounts. You are responsible for managing and reviewing access for your own employee accounts and for all activities that occur under your tenancy. Oracle is responsible for providing effective IAM services such as identity management, authentication, authorization, and auditing. Workload Security: You are responsible for protecting and securing the operating system and application layers of your compute instances from attacks and compromises. This protection includes patching applications and operating systems, operating system configuration, and protection against malware and network attacks. Oracle is responsible for providing secure images that are hardened and have the latest patches. Also, Oracle makes it simple for you to bring the same third-party security solutions that you use today. Data Classification and Compliance: You are responsible for correctly classifying and labeling your data and meeting any compliance obligations. Also, you are responsible for auditing your solutions to ensure that they meet your compliance obligations. Host Infrastructure Security: You are responsible for securely configuring and managing your compute (virtual hosts, containers), storage (object, local storage, block volumes), and platform (database configuration) services. Oracle has a shared responsibility with you to ensure that the service is optimally configured and secured. This responsibility includes hypervisor security and the configuration of the permissions and network access controls required to ensure that hosts can communicate correctly and that devices are able to attach or mount the correct storage devices. Network Security: You are responsible for securely configuring network elements such as virtual networking, load balancing, DNS, and gateways. Oracle is responsible for providing a secure network infrastructure. Client and Endpoint Protection: Your enterprise uses various hardware and software systems, such as mobile devices and browsers, to access your cloud resources. You are responsible for securing all clients and endpoints that you allow to access Oracle Cloud Infrastructure services. Physical Security: Oracle is responsible for protecting the global infrastructure that runs all of the services offered in Oracle Cloud Infrastructure. This infrastructure consists of the hardware, software, networking, and facilities that run Oracle Cloud Infrastructure services.

Reference: <https://www.oracle.com/a/ocom/docs/oracle-cloud-infrastructure-security-architecture.pdf>

[1Z0-1085-20 VCE Dumps](#)

[1Z0-1085-20 Practice Test](#)

[1Z0-1085-20 Study Guide](#)