



Oracle WebLogic Server 12c: Administration I

# Pass Oracle 1Z0-133 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/1z0-133.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





### **QUESTION 1**

During a performance test, a server\\'s log includes several out of memory error messages. You are using the Administration console.

How can you verify the amount of available heap in the server?

- A. Click the server `s Debug > Heap tab.
- B. Click the server\\'s Debug >Health tab.
- C. Click the server\\'s Monitoring >Health tab.
- D. Click the server\\'s Monitoring > Threads tab.
- E. Click the server `s Monitoring >performance tab.

Correct Answer: E

#### **QUESTION 2**

You use the administration console to start a managed server. Select the three statements that must be true.

- A. In the domain configuration, the managed server is assigned to a machine.
- B. The Node Manager process is running on the administration server\\'s machine.
- C. The Node Manager process is running on the managed server\\'s machine.
- D. The administration server uses one way SSL to communicate with the Node Manager.
- E. In the domain configuration, the Node Manager has been configured for the machine.

F. You have configured the Java based Node Manager. The administration console cannot communicate with the script - based Node Manager.

Correct Answer: ACE

### **QUESTION 3**

Which WebLogic Server tool is used to create managed server templates?

A. unpack

- B. Configuration Wizard
- C. Administration Console
- D. WebLogic Scripting Tool (WLST)



- E. appc
- F. pack

Correct Answer: F

Reference: https://docs.oracle.com/cd/E13179\_01/common/docs92/pack/tasks.html

# **QUESTION 4**

Identify two reasons for defining machines and assigning servers to them in WebLogic servers.

A. A machine can be the proxy to a cluster.

B. A machine definition is required to configured figure the Node Manager.

C. To reference an instance of WebLogic Server, you must know its machine and port.

D. A machine is a required organizational unit. A domain contains machines and machines contain servers.

E. WebLogic Server users server machine assignments to help it choose servers in a cluster on which to replicate session state.

F. A machine\\'s Cluster Weight attribute may be used by load balancers to help them determine how often to send requests to servers assigned to that machine.

Correct Answer: BE

## **QUESTION 5**

You shut down a managed server by using the administration console. Which statement is always true?

- A. The managed server was running on the same machine as the administration server.
- B. Node Manager is configured properly and running on the managed server\\'s machine.
- C. You can choose to shut down the server right away or after it completes its work.
- D. The administration console calls WLST to accomplish the shutdown.

Correct Answer: C

Latest 1Z0-133 Dumps

1Z0-133 VCE Dumps

1Z0-133 Braindumps