



# 1Z0-133<sup>Q&As</sup>

Oracle WebLogic Server 12c: Administration I

## Pass Oracle 1Z0-133 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-133.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which action should you take to automatically back up the domain configuration when anyone Activates a configuration change?

- A. USE the backup=\\true\\ parameter of the ad activate () command In WLST.
- B. The administration console , select " Follow Configuration changes" In the Shared preferences for the console.
- C. In the administration console, select "Configuration Archive Enabled" under the general configuration of the domain.
- D. Enabling automatic domain configuration creates backups of the configuration during server boot not at each activation.

Correct Answer: C

---

### QUESTION 2

You domain\\s security realm has two authentication provides :1dap1 and 1dap2.

Consider these requirements:

If authentication succeeds with 1dap1, then skip 1dap2.

If authentication fails with 1dap1, then authentication must succeed with 1dap2.

Which control flag should you use for 1dap1?

- A. Required
- B. Requisite
- C. Sufficient
- D. Optional

Correct Answer: C

---

### QUESTION 3

Consider a cluster of four servers: ServerA, ServerB, ServerC, and ServerD.

The cluster hosts a web application and is accessed using a proxy plug-in. This web application is configured to use in-memory session replication. A user is directed to ServerA. An HTTP session is established on ServerA and also replicated to ServerC, but ServerA subsequently fails.



Which server will this user be redirected to?

- A. ServerD
- B. ServerB
- C. none; the user will receive an error message
- D. ServerC
- E. any other available server

Correct Answer: D

Reference: [https://docs.oracle.com/cd/E14571\\_01/web.1111/e13709/failover.htm#CLUST219](https://docs.oracle.com/cd/E14571_01/web.1111/e13709/failover.htm#CLUST219)

---

#### QUESTION 4

A web application is configured for in-memory replication and is deployed to a cluster. This cluster is distributed across two buildings on a university campus. For performance reasons, you require that session replication occur within the building whenever possible.

How do you implement this requirement?

- A. Disable the dynamic server list in the proxy plug ?n.
- B. Configure the cluster to use multicast communication.
- C. Configure the application\\'s cookies parameters.
- D.

Configure each server\\'s replication group.

Correct Answer: D

---

#### QUESTION 5

Which three tasks can be performed by the Node Manager?

- A. Start a server
- B. Define a new server
- C. Host the Node Manager console.
- D. Automatically restart a failed server.
- E. Kill a failed application on a server.
- F. Kill a server process that did not shut down property.

Correct Answer: ADE

---



VCE & PDF

PassApply.com

<https://www.passapply.com/1z0-133.html>

2024 Latest passapply 1Z0-133 PDF and VCE dumps Download

---

[1Z0-133 VCE Dumps](#)

[1Z0-133 Study Guide](#)

[1Z0-133 Exam Questions](#)