



# 1Z0-133<sup>Q&As</sup>

Oracle WebLogic Server 12c: Administration I

## Pass Oracle 1Z0-133 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-133.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

Which session persistence type is invalid?

- A. Async\_replicated
- B. async\_jdbc
- C. replicated
- D. async\_memory
- E. cookie
- F. file
- G. replicated\_if\_clustered

Correct Answer: D

---

### QUESTION 2

You need to monitor the HTTP session count for a running web application.

Identify three ways to perform this monitoring.

- A. Run the jstat tool in your JDK.
- B. Write and run a custom WLST script.
- C. Use the application's Monitoring tab in the Administration console .
- D. Use the Monitoring Dashboard in the Administration console.
- E. Use the cloud control page in the Administration console.

Correct Answer: BCD

---

### QUESTION 3

You domain's security realm has two authentication provides :1dap1 and 1dap2.

Consider these requirements:

If authentication succeeds with 1dap1, then skip 1dap2.

If authentication fails with 1dap1, then authentication must succeed with 1dap2.

Which control flag should you use for 1dap1?

- A. Required



B. Requisite

C. Sufficient

D. Optional

Correct Answer: C

---

#### QUESTION 4

Which three domain requirements can you implement with the Configuration Wizard? (Choose three.)

A. Create a Node Manager and enroll it with the domain

B. Create a domain using a custom template

C. Assign virtual IP addresses to all servers

D. Distribute domain files across multiple machines

E. Create a dynamic cluster of five servers

Correct Answer: ABD

---

#### QUESTION 5

Your server includes an application that users a generic JDBC data source to connect to a database. However, the network connection between the server and the database is not 100% reliable.

Identify two data source attributes that, if set properly can help avoid situations in which the application fails due to a failed JDBC connection.

A. Statement Cache Type

B. Pool Reserve Mode

C. Test Table Name

D. Test Connection Mode

E. Test Connections on Reserve

Correct Answer: CE

---