



1Z0-134^{Q&As}

Oracle WebLogic Server 12c: Advanced Administrator II

Pass Oracle 1Z0-134 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-134.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

On a WebLogic Managed Server you administer, you have the following log:

```
<Jul 22, 2014 3:05:35 PM CEST> <Error> <WebLogicServer> <BEA-000337> <[STUCK]
ExecuteThread: '17' for queue: 'weblogic.kernel.Default (self-tuning)' has been busy
for "86" seconds working on the request "Workmanager: MyWorkManager, Version: 0,
Scheduled=true, Started=true, Started time: 86409 ms
", which is more than the configured time (StuckThreadMaxTime) of "2" seconds in
"work-manager-shutdown-trigger".
```

You investigate and find a Web Module named MyApp with the following deployment descriptor weblogic.xml:

```
<weblogic-web-app xmlns="http://xmlns.oracle.com/weblogic/weblogic-web-app">
  <wl-dispatch-policy>MyWorkManager</wl-dispatch-policy>
  <work-manager>
    <name>MyWorkManager</name>
    <work-manager-shutdown-trigger>
      <max-stuck-thread-time>2</max-stuck-thread-time>
      <stuck-thread-count>10</stuck-thread-count>
    </work-manager-shutdown-trigger>
  </work-manager>
</weblogic-web-app>
```

Which two are true? (Choose two.)

- A. Access to Web Module MyApp now returns an HTTP Error: 503 Service unavailable.
- B. The ExecuteThread: `17` is now available because WebLogic Server automatically stops stuck threads.
- C. When the WebLogic Managed Server is restarted the Web Module will be in Admin mode.
- D. If another thread is stuck the error number will be in the WebLogic log file.
- E. The health status of the Managed Server where the application is deployed is now warning due to the subsystem poolthread.

Correct Answer: BD

QUESTION 2

You are using the administration console to monitor messages in a queue.

Which three tasks can be performed while doing this monitoring? (Choose three.)

- A. Create a new message in the queue.
- B. Duplicate a message.



- C. Monitor the content of a message.
- D. Delete the message from the queue.
- E. Merge two messages.
- F. Alter the ordering of the messages.

Correct Answer: CDF

QUESTION 3

You have enabled JMS Diagnostic Logging and are analyzing JMS Message delivery and acknowledgment using the generated log entries. For this purpose, you are tracking individual message IDs.

What is the default format of the message ID that you would expect to see in the log? (Choose the best answer.)

- A. Hexadecimal (e.g., 0xCAE987A401)
- B. Numeric (e.g., 9018199222001)
- C. Floating Point (e.g., 10029920902.10111)
- D. Doubly dot delimited (e.g., 683871.1122857923566.0)

Correct Answer: D

Example:

Reference: https://docs.oracle.com/cd/E12840_01/wls/docs103/jms_admin/troubleshoot.html

QUESTION 4

What is true about an extension template? (Choose the best answer.)

- A. can be created from an existing template
- B. can include security realm information
- C. can include Node Manager information
- D. can include administrator username and password
- E. can include administration server information

Correct Answer: A

QUESTION 5

You have an application already deployed in a production environment that needs a modification to one of its tuning parameters. Currently, that tuning parameter has a default value since there was neither a deployment descriptor used



nor a deployment plan included with the application deployment. You now attempt to use the Administration Console web application to make a dynamic modification to that parameter.

Which statement is true? (Choose the best answer.)

- A. A new deployment plan will be generated and saved at the indicated location.
- B. The modification attempt will fail because there is no deployment descriptor included within the application.
- C. The modification attempt will fail because there is no existing deployment plan associated with the application.
- D. A new skeleton plan.xml will be generated if a plan folder is detected with the deployed application.

Correct Answer: D

Defining tuning parameters is not required in order to successfully deploy an application. If an application's deployment descriptors and deployment plan do not define tuning parameters, WebLogic Server uses default values. The Administration Console automatically uses a deployment plan named plan.xml in the \plan subdirectory of an application root directory if one is available.

Reference: https://docs.oracle.com/cd/E11035_01/wls100/deployment/config.html

[Latest 1Z0-134 Dumps](#)

[1Z0-134 VCE Dumps](#)

[1Z0-134 Exam Questions](#)