



# 1Z0-338<sup>Q&As</sup>

Oracle Exadata Database Machine and Cloud Service 2017  
Implementation Essentials

## Pass Oracle 1Z0-338 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-338.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

Which two statements are true about enabling the write-back flash cache?

- A. When enabling the write-back-flash-cache in a rolling manner dbcli should be used to inactivate the grid disks on all cells first.
- B. Before write-back-flash-cache is enabled you need to drop the flash cache first.
- C. Write back flash cache requires a minimum required software version.
- D. When enabling write-back-flash-cache in a non-rolling manner it is important to ensure that asmdeactivationoutcome is set to yes and asmmodestatus is set to online for all grid disks.
- E. flashcachemode should be set to write back by updating cellinit.ora and restarting cellsvr.

Correct Answer: BC

---

### QUESTION 2

Your customer wants to load source information into a database. The source files are generated on a remote HP-UX system and need to be written to the Exadata system. The ideal solution would be to use a remote file system where an ACFS file system is exported to the HP-UX system.

Which three options are supported using ACFS on Exadata 12.1.0.2 and later?

- A. SAMBA
- B. NFS
- C. HANFS
- D. DBFS
- E. ACFS is not supported on Exadata

Correct Answer: ABD

---

### QUESTION 3

Which statement is true about the Exadata CELLBOOT USB?

- A. Each patch that is performed on the Exadata storage servers requires manual resync of the CELLBOOT USB.
- B. Some space from the CELLBOOT USB is used for cache metadata when write-back flash cache is enabled.
- C. Regular Exadata storage server patches make sure that the internal USB is updated so that it can be used for



recovery.

D. Exadata automatically copies OS binaries and configuration files from another cell during patching to sync the internal USB.

E. changes to network configuration files are possible without using ipconf.p1 as long as all the relevant files are updated.

Correct Answer: C

---

#### QUESTION 4

When a customer use Enterprise Manager to monitor and maintain their Exadata machine, which protocol does enterprise manager uses to send and receive information about component failure event and status.

A. ILOM

B. ICMP

C. RPC

D. IPMI

E. SNMP

Correct Answer: E

---

#### QUESTION 5

Oracle Configuration Manager is the key to the proactive capabilities of MyOracle Support. Which three statements describe OCM? (Choose three.)

A. It is used to collect configuration details and upload them to the management repository.

B. Configuration collection happens once an hour.

C. A customer can associate an SR to their configuration data to reduce issue resolution time.

D. Oracle Base, ASM, and GRID home must have the same owner for installation to work.

E. Configuration collection occurs every 24 hours.

Correct Answer: ACE

---