



1Z0-400^{Q&As}

Border Controller Implementation Essentials

Pass Oracle 1Z0-400 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-400.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

To view an existing multiple-instance element's configuration you can go to the correct branch of the configuration tree and_____.

- A. Type is -a.
- B. Enter the name of the element and then issue the show command.
- C. Type show ?and select from the displayed list.
- D. Type show .
- E. Select the element and then issue the show command.

Correct Answer: D

QUESTION 2

Which SIP header does the Session Border Controller check when looking for a match to the "to- address" in the local-policy?

- A. Request-URI
- B. Top most Via header
- C. Route header
- D. To header
- E. Call-ID header

Correct Answer: A

QUESTION 3

You are enabling management access on a network interface in the Session Border Controller. Which two are applicable?

- A. add-snmp-ip
- B. snmp-address
- C. add-hip-ip
- D. telnet-port
- E. set-hip

Correct Answer: BD



QUESTION 4

How does the Session Border Controller ensure that a pinhole is kept open for persistent communication to a SIP endpoint behind a NAT device?

- A. By sending messages at a defined frequency
- B. By sending ARP requests at a defined frequency
- C. By issuing PINGs to the endpoint's NAT address
- D. By changing the expires= parameter to a defined value in 200 OK responses to INVITEs
- E. By changing the expires= parameter to a defined value in 200 OK responses to REGISTERs

Correct Answer: B

QUESTION 5

What needs to be done to enable Physical Interface Redundancy (phy link redundancy)?

- A. Set link-redundancy-state to enabled in the system-config.
- B. Set link-redundancy to enabled in the system-config.
- C. Set link-redundancy-state to enabled in the network-interface.
- D. Set link-redundancy to enabled in the network-interface.
- E. Run the superuser command enable phy-redundancy.

Correct Answer: C

[1Z0-400 Practice Test](#)

[1Z0-400 Study Guide](#)

[1Z0-400 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © passapply, All Rights Reserved.