



# 1Z0-404<sup>Q&As</sup>

Oracle Communications Session Border Controller 7 Basic  
Implementation Essentials

## Pass Oracle 1Z0-404 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-404.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

Which two statements are true about dynamic realm bridging? (Choose two.)

- A. Egressrealm can be any, depending on time-of-day, called number, and so on.
- B. Dynamic realm bridging is the routing of a signaling message coming from a given ingress realm to a next hop in an egress realm.
- C. Dynamic realm bridging is a one-to-one association accomplished by using SIP-NAT.
- D. Ingress and egress realms are unconditionally paired.
- E. Dynamic realm bridging decisions are based solely on layer 3 (IP) information.

Correct Answer: AB

---

### QUESTION 2

What configuration step is required for booting the SessionBorder Controller from an external FTP server?

- A. Navigate to the bootparams configuration branch and set the host inet field to the IP address of the external BOOTP Server from which the Session Border Controller can boot.
- B. Navigate to the system configuration branch and set the ip address field of the wancom1 management interface.
- C. Navigate to the bootparams configuration branch and set the ip address field of the destination SIP device with which the Session Border Controller needs to interact.
- D. Navigate to the system configuration branch and set the ip address field of the wancom0 management interface.
- E. Navigate to the bootparams configuration branch, set the host inet or Host IP, FTP username, and FTP password for the external FTP Server in which the image file resides.

Correct Answer: C

---

### QUESTION 3

Which action triggers the 180 Ringing response in a User Agent Client (UAC)?

- A. the subscription to a SIP presence service
- B. the generation of a remote ring-back tone
- C. the generation of a local ring-back tone
- D. the establishment of a SIP session
- E. the termination of a SIP session

Correct Answer: C

---



#### QUESTION 4

You are examining a SIP packet. There is no final response to the ACK method.

What is the reason for this?

- A. The ACK method was defined only in RFC 2543 and it has been deprecated.
- B. The ACK method is part of the INVITE transaction.
- C. The ACK method is an exception in RFC 3261.
- D. The ACK method is an optional SIP method.
- E. The ACK method was replaced with the CANCEL method in RFC 3261.

Correct Answer: B

---

#### QUESTION 5

What is the first thing you should do when you want the Session Border Controller to detect that an endpoint is behind a NAT/firewall device?

- A. Navigate to the sip-port configuration element and set the nat-traversal parameter to disabled.
- B. Navigate to the sip-interface configuration element and set the nat-traversal parameter to never.
- C. Navigate to the sip-interface configuration element and set the nat-traversal parameter to always.
- D. Navigate to the sip-port configuration element and set the nat-traversal parameter to enabled.
- E. Navigate to the sip-interface configuration element and set the nat-traversal parameter to detect.

Correct Answer: C

[1Z0-404 Study Guide](#)

[1Z0-404 Exam Questions](#)

[1Z0-404 Braindumps](#)