



1Z0-404^{Q&As}

Oracle Communications Session Border Controller 7 Basic
Implementation Essentials

Pass Oracle 1Z0-404 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-404.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Which three statements are true about the bootloader? (Choose three.)

- A. It decompresses the image file and loads it into the main RAM
- B. It reads the imagefile
- C. It is based on Linux
- D. It looks at the boot parameters
- E. It is a Windriver\\'s VxWork product

Correct Answer: ABD

QUESTION 2

Which node automatically assumes the active role when peers boot simultaneously and their health scores are equivalent in a High Availability (HA) scenario?

- A. the node with the highest wancom IP address
- B. the node that is configured as secondary
- C. the node that had the role of active last
- D. the node with the lowest wancom IP address
- E. the node with the highest round-robin score

Correct Answer: D

QUESTION 3

You are configuring access rules in a Session Border Controller Peering architecture.

Which two configuration steps are required to allow access only from User Agents (UAs) in a specific IP subnet? (Choose two.)

- A. Navigate to the sip-port configuration element and set the allow-anonymous parameter to realm-prefix.
- B. Navigate to the session-agent configuration element and set the ip-address parameter to the IP address of your trusted User Agent (UA).
- C. Navigate to the sip-port configuration element and set the allow-anonymous parameter to agents-only.
- D. Navigate to the sip-port configuration element and set the allow-anonymous parameter to all.
- E. Navigate to the realm-config configuration element and set the addr-prefix parameter to the IP subnet of your trusted User Agents (UAs).

Correct Answer: BC



QUESTION 4

What mechanism is used to ensure adjacent devices can redirect their Ethernet traffic to the Session Border Controller that takes over, when a Session Border Controller fails over?

- A. Gratuitous ARP
- B. Reverse ARP
- C. Proxy ARP
- D. HSRP
- E. BOOTP

Correct Answer: B

QUESTION 5

Which two statements are true about SIP response code handling on the Session Border Controller? (Choose two.)

- A. The Session Border Controller will originate a 503 when there are no steering pool ports available.
- B. The Session Border Controller will originate a 403 response when bandwidth allocated to a realm has been exhausted.
- C. The Session Border Controller cannot originate 3xx class redirect responses.
- D. By default, the Session Border Controller will recurse on the 6xx messages.
- E. The Session Border Controller can transmit a different SIP response code than it received.

Correct Answer: AC

[Latest 1Z0-404 Dumps](#)

[1Z0-404 Practice Test](#)

[1Z0-404 Study Guide](#)