



1Z0-419^{Q&As}

Implementation Application Development Framework

Pass Oracle 1Z0-419 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-419.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two are reasons why you might set the bind variables of a view object at run time programmatically rather than using the declarative features of the framework? (Choose two.)

- A. The framework can set only one bind variable declaratively on each view object query. Attempting to set more bind variables requires a programmatic solution.
- B. After a bind variable is set using the declarative method, its value is immutable unless updated programmatically.
- C. In all cases, ADF developers should code solutions rather than using declarative solutions
- D. The bind variable is derived by calling a Java method rather than receiving the value from a user.
- E. The bind variable value entered by and understandable by a user must be modified using Java code to a value that can actually be used in a query.

Correct Answer: BD

QUESTION 2

Which method must you override to ensure that messages are logged each time bind variable values are set in an application? (Choose the best answer.)

- A. bindParametersForCollection() method in any ViewObjectImpl that uses bind variables
- B. setBindVariables() method in any ViewObjectImpl that uses bind variables
- C. bindParametersForCollection() method in the super-class of ViewObjectImpl
- D. bindParametersForCollection() method in the super-class of ApplicationModuleImpl

Correct Answer: C

QUESTION 3

Select three options that page template developers can use when creating a page template. (Choose three.)

- A. Create a page template based on a quick start layout.
- B. Create a page template based on an existing JavaServer Faces (JSF) page.
- C. Create a JavaServer Faces Fragment (JSFF) and register it as a page template.
- D. Create a page template based on an existing template.
- E. Create a page or fragment from a blank layout and register it as a page template.
- F. Create a page template from a blank layout.

Correct Answer: BDF



QUESTION 4

Your organization has specified that menu components should be located on the left-hand side of a page and that the main content should be displayed in the center. How do you ensure that developers adhere to this standard? (Choose the best answer.)

- A. Ask all developers to use the two-column quick start layout.
- B. Create a page template that defines the specified layout and distribute it to developers
- C. Create an ADF library that contains a collection of ADF Faces components that developers must use
- D. Create a task flow template that defines the specified layout; this will enforce the correct layout on all pages that are built from the template.

Correct Answer: B

QUESTION 5

Consider a case where an application does not respond as predicted when a user submits data. Where would you set a breakpoint to debug the issue? (Choose the best answer)

- A. the value binding for the iterator on the pagedef for the view
- B. a view activity that is used to determine where to send the user
- C. the partialTriggers property of the data bound component in the view
- D. the Apply Request Values phase of the life cycle

Correct Answer: A

[Latest 1Z0-419 Dumps](#)

[1Z0-419 VCE Dumps](#)

[1Z0-419 Exam Questions](#)