



# 1Z0-432<sup>Q&As</sup>

Oracle Real Application Clusters 12c Essentials

**Pass Oracle 1Z0-432 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-432.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which two statements about the Grid Infrastructure Management Repository are correct?

- A. It is a single instance database that is managed by Oracle Clusterware.
- B. It is where the Cluster Health Monitor places data.
- C. It is created during a "\\\\"Typical" installation.
- D. It is stored in the ASM disk group that is used as a Fast Recovery Area.

Correct Answer: BC

---

### QUESTION 2

The DISK\_REPAIR\_TIME attribute has expired after a transient disk error. What happens next?

- A. Nothing, it was only a warning. All the disks are OK
- B. This means that the disk is repaired and is put back in the ASM disk group.
- C. Oracle ASM drops the disk.
- D. This means that Oracle will use ASM Fast Mirror Resync to sync the rest of the disks.

Correct Answer: C

---

### QUESTION 3

Which is the correct syntax to create an asmlib disk?

DISK1 = asmlib disk name /dev/sdb1 = first device partition/dev/sdb = device name

- A. /usr/sbin/oracleasm add disk DISK1 /dev/sdfa
- B. /usr/sbin/oracleasm createdisk DISK1 /dev/sdb1
- C. /usr/sbin/oracleasm createdisk DISK1 /dev/sdb
- D. /usr/sbin/oracleasm map DISK1 /dev/sdb

Correct Answer: B

---

### QUESTION 4

Which statement about Oracle Flex ASM is incorrect?

- A. Oracle Flex ASM enables an Oracle ASM instance to run on a separate physical server from the database servers.



- B. With Flex ASM, a smaller pool of ASM instances can be used to serve a large pool of database servers.
- C. Flex ASM requires the configuration of Flex Clusters.
- D. Flex ASM can be configured on either a standard cluster or a Flex Cluster.
- E. Higher availability can be achieved with Flex ASM because if an ASM instance fails, its clients can reconnect to another ASM instance

Correct Answer: C

### QUESTION 5

You must complete three steps.

Step 1:

```
SQL > CREATE DISKGROUP OCR_VOTE NORMAL REDUNDANCYFILEGROUP controller01 DISK
\dev/asm_ocr_vote1\FILEGROUP controller02 DISK \dev/asm_ocr_vote2\FILEGROUP controller03 DISK
\dev/asm_ocr_vote3\ATTRIBUTE `au_size` = `1M` `compatible.asm` = `12.1`;
```

Diskgroup created.

Step 2:

Step 3:

```
crsctl query c@s votedisk
```

```
## STATE File Universal ID File Name Disk group
```

1.  
ONLINE beb9443cca734f65bfa6b89cc574d565 (/dev/asm-ocr\_vote1) (OCR\_VOTE)
2.  
ONLINE bea9b6154c164f89bf6a593846ea3cc3 (/dev/asm-ocr\_vote2) (OCR\_VOTE)
3.  
ONLINE bed9j8324cl86f89bf6a593846ea3dd3 (/dev/asm-ocr\_vote3) (OCR\_VOTE)Located 3 voting disk(s).

Which command is required for step 2?

- A. crsctl replace +OCR\_VOTE
- B. crsctl move votedisk +OCR\_VOTE
- C. crsctl replace votedisk +OCR\_VOTE
- D. crsctl replace +OCR\_VOTE

Correct Answer: C



VCE & PDF

PassApply.com

<https://www.passapply.com/1z0-432.html>

2024 Latest passapply 1Z0-432 PDF and VCE dumps Download

---

[Latest 1Z0-432 Dumps](#)

[1Z0-432 VCE Dumps](#)

[1Z0-432 Braindumps](#)