



1Z0-432^{Q&As}

Oracle Real Application Clusters 12c Essentials

Pass Oracle 1Z0-432 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-432.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which statement about the AU_SIZE disk group attribute is incorrect?

- A. It specifies the size of the allocation unit for a disk group.
- B. It can be changed at any time for any disk group.
- C. You can view the value of this attribute in the ALLOCATION_UNIT_SIZE column of the V\$ASM_DISKGROUP view
- D. The default size is 1 MB.

Correct Answer: B

QUESTION 2

To create a policy-managed database in RAC, which three properties have to be defined?

- A. Minimum downtime before switchover occurs
- B. Minimum number of nodes
- C. Maximum number of nodes
- D. Relative importance compared to other server pools
- E. Relative uptime compared to other server pools

Correct Answer: BCD

QUESTION 3

During the installation of Oracle Grid Infrastructure 12cR1, you decide to configure the Grid Infrastructure Management Repository. Where will the repository be stored?

- A. In its own single instance Oracle Database 12cR1 database and managed as a failover database
- B. In the first RAC database created on the cluster
- C. In its own RAC 12cR1 database with load balancing enabled
- D. On a node outside the cluster to guard against cluster failure
- E. Within the Grid Infrastructure home as a file-based repository

Correct Answer: A

QUESTION 4



Which statement accurately describes the benefit of the policy-managed database feature with Oracle RAC 12cR1?

- A. It protects against cascade failures due to network usage. It migrates workload isolation to specific pools. Less important workloads shut down immediately.
- B. It protects against cascade failures due to load. It ensures that workload isolation is balanced between pools. Less important workloads start transactionally
- C. It protects against cascade failures due to load. It ensures workload isolation between pools. Less important workloads shut down transactionally
- D. It protects against cascade failures due to load. It ensures workload isolation between pools. Less important workloads shut down and start uniformly.
- E. It protects against cascade failures due to load. It ensures workloads are not isolated between pools. Less important workloads shut down transactionally.

Correct Answer: C

QUESTION 5

The ACFS volume that contains video data needs a snapshot before a bulk load. Which creates a snapshot?

- A. `$ acfsutil snap create snapshot_before_load/adsmount/ads_vol1`
- B. `$ acfsutil create snap snapshot_before_load/adsmount/ads_voll`
- C. `$ acfsutil-c -s snapshot_before_load /adsmount/ads_vol1`
- D. `$ acfsutil-s -1 snapshot_before_load -v /adsmount/ads_vol1`

Correct Answer: A

[1Z0-432 VCE Dumps](#)

[1Z0-432 Practice Test](#)

[1Z0-432 Braindumps](#)