



1Z0-447^{Q&As}

Oracle GoldenGate 12c Implementation Essentials

Pass Oracle 1Z0-447 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-447.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which statement is valid for DDL replication?

- A. GoldenGate User Exits are not supported for DDL.
- B. Source and target objects can be different.
- C. Target objects can be different from source when using SOURCEDEFS in Replicat.
- D. It can use WILDCARDRESOLVE IMMEDIATE.

Correct Answer: B

QUESTION 2

Which database setting for the Oracle 11.2.0.4 database is required to enable Oracle GoldenGate?

- A. ENABLE_GOLDENGATE_REPLICATION=true
- B. ENABLE_STREAMS_REPLICATION=true
- C. Configure the STREAMS_POOL_SIZE database parameter
- D. ENABLE_DATABASE_REPLICATION=true

Correct Answer: A

Reference: <https://docs.oracle.com/goldengate/1212/gg-winux/GIORA/setup.htm#GIORA983>

QUESTION 3

You need to locate the position of the oldest unprocessed transaction by using the command INFO EXTRACT SHOWCH. How should you proceed?

- A. Use the Read Startup Checkpoint.
- B. Use the Read Recovery Checkpoint.
- C. Use the Write Startup Checkpoint.
- D. Use the Read Current Checkpoint.

Correct Answer: B

Reference: https://docs.oracle.com/goldengate/1212/gg-winux/GWUAD/wu_ogg_checkpts.htm#GWUAD968



QUESTION 4

Which GLOBALS parameter is required to initially enable monitoring?

- A. JAGENTMONITORING
- B. ENABLEMONITORING
- C. ENABLEOEMMONITORING
- D. CHECKMONITORING

Correct Answer: B

Reference: https://docs.oracle.com/goldengate/1212/gg-winux/GWURF/gg_parameters053.htm#GWURF474

QUESTION 5

Your Extract process, which is using an Oracle database, has stopped with uncommitted transactions. How should you guarantee an efficient recovery after Extract has stopped?

- A. Use the FORCETRANS and PURGEORPHANEDTRANSACTIONS parameters to control the bounded recovery feature of the general Extract checkpointing facility.
- B. Use the WARNLONGTRANS parameter to control the bounded recovery feature of the general Extract checkpointing facility.
- C. Use the BR parameter to control the bounded recovery feature of the general Extract checkpointing facility.
- D. Use the PURGEORPHANEDTRANSACTIONS parameter to control the bounded recovery feature of the general Extract checkpointing facility.

Correct Answer: C

Reference: <http://www.oracle.com/technetwork/database/features/availability/maa-goldengate-rac2007111.pdf>

[1Z0-447 VCE Dumps](#)

[1Z0-447 Practice Test](#)

[1Z0-447 Braindumps](#)