

1Z0-448^{Q&As}

Oracle Data Integrator 12c Essentials

Pass Oracle 1Z0-448 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/1z0-448.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/1z0-448.html 2024 Latest passapply 1Z0-448 PDF and VCE dumps Download

QUESTION 1

How do you provide a timeout value for an exception step? (Choose the best answer.)

- A. by using a custom Groovy script
- B. by using a variable
- C. by using the Timeout filed
- D. by using a Timeout knowledge module

Correct Answer: B

(https://docs.oracle.com/middleware/1212/odi/ODIDG/loadplans.htm#CHDGFEGJ)

QUESTION 2

Which two statements are true about the Oracle Data Integrator Software Development Kit (ODI SDK)? (Choose two.)

- A. It enables developers to execute most ODI operations through a Java program.
- B. It can be used to embed ODI processes into another product.
- C. It is used to load data between Teradata and Oracle.
- D. It must be used by ETL developers to develop ODI processes.

Correct Answer: AD

(https://foursconsultancy.wordpress.com/odi/oracle-data-integrator-12c- components/)

QUESTION 3

You must monitor and manage a co-located stand-alone agent, OracleDIAgent1, by using the ODI plug-in for Enterprise Manager Cloud Control.

Which is the correct command to start this agent on Linux? (Choose the best answer.)

- A. ./agent.sh -NAME=OracleDIAgent1 -PORT=20910
- B. ./agent.sh -NAME=OracleDIAgent1
- C. ./startComponent.sh OracleDIAgent1
- D. ./startComponent.sh OracleDIAgent1 -PORT=20910

Correct Answer: A

(https://community.oracle.com/thread/3780742?start=0andtstart=0)

https://www.passapply.com/1z0-448.html 2024 Latest passapply 1Z0-448 PDF and VCE dumps Download

QUESTION 4

Which statement is true about defining more than one physical schema associated to the same data server? (Choose the best answer.)

- A. ODI topology does not allow defining more than one physical schema for a data server; the associated logical schema would be ambiguous.
- B. It is possible to define more than one physical schema associated to the same data server, but it is mandatory to specify a different user to log in.
- C. It is possible to define more than one physical schema associated to the same data server, but you must flag the default physical schema.
- D. It is possible but it is better to avoid doing so because it is more difficult to define a logical schema this way.

Correct Answer: C

(http://odiexperts.com/context-logical-and-physical-schema-how-does-it-work/)

QUESTION 5

Which two objects can be dragged to a Mapping? (Choose two.)

- A. Variables
- B. Datastores
- C. Knowledge Modules
- D. Reusable Mappings

Correct Answer: BD

(https://docs.oracle.com/middleware/1212/odi/ODIDG/mappings.htm#ODIDG1560)

1Z0-448 VCE Dumps

1Z0-448 Study Guide

1Z0-448 Exam Questions