



1Z0-479^{Q&As}

Oracle Access Management Suite Plus 11g Essentials

Pass Oracle 1Z0-479 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-479.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Identify three required steps for configuring OAM-OAAM basic integration.

- A. Set theOAAMEnabledproperty totrueinoam-config.xml.
- B. Target the OAAM JDBC data source to the OAM Managed Server.
- C. Protected a resource in an authentication policy using the OAAMBasic authentication scheme.
- D. Install SOA Suite and configure the UnifiedMessaging Service (UMS) delivery channel for One Time Pin (OTP).
- E. Install and configure Oracle Entitlements Server (OES).

Correct Answer: ABC

QUESTION 2

In a Security Token Service deployment for Identity Propagation with the Access Manager token, which component must be registered with Oracle Access Manager 11g to create a communication channel?

- A. WS-Trust Validation Template
- B. WebGate
- C. Oracle Adaptive Access Manager
- D. Oracle Identity Federation
- E. Request Security Token (RST)

Correct Answer: B

QUESTION 3

What would you need to configure to use Oracle Adaptive Access Manager (OAAM) along with Mobile Single Sign-On, by using Oracle Access Management Mobile services?

- A. An appropriate security handler plug-in name needs to be configured for the Mobile Service domain to use OAAM.
- B. An authentication scheme needs to be configured for the Mobile Service domain to reflect OAAM use.
- C. A separate application profile needs to be created for OAAM.
- D. The Mobile Service domain needs to specify a configuration for OAAM.

Correct Answer: B

QUESTION 4



View the Exhibits. Exhibit 1

The screenshot shows the 'Search Resources' interface. At the top, there are tabs for 'Home', 'Search Authorization Poli...', and 'Search Resources'. Below the tabs, there's a breadcrumb trail: 'elloOESWorld | ... Default Policy Domain | Resource Catalog'. A 'Resource Type' dropdown menu is set to 'HierResourceType'. The main section is titled 'Resource Hierarchy' and contains a paragraph: 'The Resource Hierarchy is shown below. You can add filters at any node level to limit the results and click the new button to create a child resource.' Below this text is a toolbar with buttons: 'Actions', 'View', 'New', 'Open', 'Delete', 'Create Policy', and 'Find'. The main content is a table with two columns: 'Display Name' and 'Name'.

Display Name	Name
Root Resource	/
Hier1	/Hier1
Hier1a	/Hier1/a
Hier1ai	/Hier1/a/i
Hier1b	/Hier1/b
Hier1bi	/Hier1/b/i

Exhibit 2



Home Search Authorization Poli... Search Resources

HelloOESWorld | ... Default Policy Domain

Search Policies

Search

Effect [v]
Display Name Starts With [v]
Name Starts With [v]

Princip
Targ

Search Results

Actions View + New Open Remove

	Effect	Name	Description	Targets
1		MyAuthorizationPolicy		Hier
2		DenyHier1b		Hier

You have created a set of hierarchical resources in Oracle Entitlements Server and an associated set of authorization policies as shown in the Exhibits. You execute a newQueryPepRequest in order to evaluate exactly which resources the weblogic user has access to.

Which three hierarchical resources can user access? (Choose three.)

- A. /Hier1
- B. /Hier1/a
- C. /Hier1/b
- D. /Hier1/a/i
- E. /Hier1/b/i

Correct Answer: ABD

QUESTION 5

Identity functions that Oracle Adaptive Access Manager provides.

- A. risk-based access control
- B. secure credential collection
- C. offline and online risk analytics



D. username and password validation

E. single sign-on

F. user provisioning

Correct Answer: ABE

[Latest 1Z0-479 Dumps](#)

[1Z0-479 VCE Dumps](#)

[1Z0-479 Study Guide](#)