1Z0-494^{Q&As}

PeopleSoft Campus Solutions 9 Student Enrollment Implementation Essentials

Pass Oracle 1Z0-494 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/1z0-494.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

QUESTION 1

When creating a new permissions list for Admissions page access, which menu is chosen for maintaining and updating student applications?

A. EVALUATE_APPLICANTS

B. PROCESS_APPLICATIONS

C. RECRUIT_PROSPECTIVE_STUDENTS

D. DESIGN_ADMISSIONS

E. LOAD_EXT E RNAL_DATA

Correct Answer: A

QUESTION 2

Your client has chosen to use only the Course Credit - Manual transfer credit component rather than setting up transfer credit rules.

What impact will this have for students who want to enter new transfer credit information by using the Evaluate my Transfer Credit functionality in Self Service?

A. Students will be able to enter transfer credit by using Evaluate my Transfer Credit, but only during the add/drop enrollment period.

B. Students will be able to enter transfer credit by using Evaluate my Transfer Credit, but only for one defined external organization.

C. Students will be unable to enter transfer credit by using Evaluate my Transfer Credit in Self Service because transfer credit rules are required.

D. Students will be able to use Evaluate my Transfer Credit without restriction.

E. Students will be able to enter transfer credit by using Evaluate my Transfer Credit, but only for specific courses that the client defines.

Correct Answer: B

QUESTION 3

Your client wants to enable users to add and manage two separate Program/Plan stacks for students in multiple programs within the same career. How should this be accomplished?

A. Add a new row on the existing Program/Plan stack with a Program Change action to enter the additional program.

B. On the Program/Plan stack, use the Add button to create a new career and stack record, incrementing the Student Career Number to differentiate the two stacks.

C. On the existing Program/Plan stack, select the Joint ProgAppr check box and enter the second program into the Dual Academic Program field that appears.

D. Create a student attribute specifying that the student has a separate stack and enter the student attribute on the existing Program/Plan stack.

E. Create a special Program/Plan combination that can be entered on the existing stack for dual program students.

Correct Answer: D

QUESTION 4

Your client enters an application on the Add Application component, including the last school attended and then tries to enter a transcript for that applicant. When your client navigates to the Education component, the last school attended is not populated.

What is the reason for this?

A. The system does not automatically populate the Education component with the last school attended.

B. The client saved the application for the first time before entering the last school attended.

C. The last school attended entered in the application was tied to a different application number.

D. The client does not have appropriate Application Center security to view the last school attended.

E. The client does not have access to the Education component.

Correct Answer: C

QUESTION 5

Which statement is true about the relationship between the Result Scale configured for Activity Management and a student\\'s Academic Progress Tracker in Program Enrollment?

A. The Result Scale is only for information and does not populate other records.

B. The Result Scale can populate student grades, but not the Academic Progress Tracker.

C. Only the result outcome will be displayed on the Academic Progress Tracker.

D. Only the grading scheme in the Result Scale will display on the Academic Progress Tracker.

E. Using the Result Scale, users can determine which fields on the activity level update the Academic Progress Tracker.

Correct Answer: D

[1Z0-494 Practice Test](#)   [1Z0-494 Study Guide](#)   [1Z0-494 Braindumps](#)