



1Z0-632^{Q&As}

PeopleSoft PeopleTools 8.5x Implementation Essentials

Pass Oracle 1Z0-632 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-632.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which three statements are true regarding PeopleCert user-defined variables? (Select three.)

- A. Explicitly declaring object type variables provides no benefit over allowing them to be auto-declared
- B. All local variables must be declared at the beginning of the program
- C. Local variables can be declared and instantiated in a single statement
- D. All component variables must be declared before the first line of executable code
- E. Local variables can be declared and assigned in a single statement
- F. All variables of type Any must be explicitly declared

Correct Answer: D

QUESTION 2

Which two statements indicate the actions that need to be taken before changing the default field label on a field definition? (Choose two.)

- A. Check if the default label is used in any page definitions
- B. Check if the default label is used in any record definitions
- C. Check if the default label is used in any component definitions
- D. Check if the default label is used in any PeopleCode
- E. Check if the default label is active

Correct Answer: AB

QUESTION 3

Examine this PeopleCode program excerpt:

```
&Row_Level1 = &RS_Level1(&I);  
&Rec_Empl = &Row_Level1.EMPL;  
&Fld_Role = &Rec_Empl.ROLE;  
&Pos = &Fld_Role.Value;
```

Select the option that correctly combines these four statements into one valid PeopleCode statement.




- A. `&Pos = &Row_Level1(Record.EMPL).ROLE.Value;`
B. `&Pos = &RS_Level1(&I).EMPL.ROLE.Value;`
C. `&Pos = &Row_Level1(&I).EMPL.ROLE.Value;`
D. `&Pos = &RS_Level1.Row_Level1.Rec_Empl.ROLE.Value;`
E. `&Pos = &RS_Level1.&I.EMPL.ROLE.Value;`

A. B. C. D. E.

Correct Answer: C

QUESTION 4

This exhibit shows the Structure tab of the component definition.



The following PeopleCode program has been placed on the RowInit event for the Level 2 component record (PSU_TASK_EFFORT)

```
If PSU_TASK_RSRC.COMPLETED_FLAG = "Y" Then
  Local Record &Rec_TaskEffort = GetRecord();
  For &i = 1 To &Rec_TaskEffort.FieldCount
    &Rec_TaskEffort.GetField(&i).Enabled = False;
  End-For;
End-If;
```

Which three changes are required to move this program to the RowInit event for the Level 1 component record (PSU_TASK_RSRC)? (Choose three.)



- A. Add an outer loop to loop through each row in the level 2 rowset
- B. Instantiate the level 2 rowset from the level 1 row
- C. Add on outer loop to loop through each record in the level 2 rowset
- D. Instantiate the level 1 row
- E. For each level 2 row, instantiate a record object
- F. Instantiate a record object for the level 1 row

Correct Answer: BCF

QUESTION 5

Input	Output
Dr. Jane Smith, Ph.D.	Dr. Jane Smith
Mark Larsen, B.A.	Mark Larsen
Dr. Gustavo Hinojosa, M.D.	Dr. Gustavo Hinojosa
Vivek Patel, B.S.	Vivek Patel
Jonathan Marsh, M.B.A.	Jonathan Marsh

Which PeopleCode program will take the input student name values and produce the output values?

- A.

```
&comma_pos = Find(",", &student);  
&out = Substring(&student, 1, &comma_pos - 1);
```
- B.

```
&out = LTrim(&student, ",");
```
- C.

```
&out = RTrim(&student, ",");
```
- D.

```
&out = LTrim(&student, ",. ABDMPSh");
```
- E.

```
&comma_pos = Find(",", &student);  
&length = Len(&student);  
&out = Substring(&student, 1, &length - &comma_pos);
```
- F.

```
&out = RTrim(&student, ",. ABDMPSh");
```

A. B. C. D. E. F.

Correct Answer: D



VCE & PDF

PassApply.com

<https://www.passapply.com/1z0-632.html>

2024 Latest passapply 1Z0-632 PDF and VCE dumps Download

[Latest 1Z0-632 Dumps](#)

[1Z0-632 Practice Test](#)

[1Z0-632 Braindumps](#)