



# 1Z0-808<sup>Q&As</sup>

Java SE 8 Programmer I

**Pass Oracle 1Z0-808 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-808.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Given:

```
class Cake {  
    int model;  
    String flavor;  
    Cake() {  
        model = 0;  
        flavor = "Unknown";  
    }  
}  
  
public class Test {  
    public static void main(String[] args) {  
        Cake c = new Cake();  
        bake1(c);  
        System.out.println(c.model + " " + c.flavor);  
        bake2(c);  
        System.out.println(c.model + " " + c.flavor);  
    }  
  
    public static Cake bake1(Cake c) {  
        A. flavor = "Strawberry";  
        B. model = 1200; return c; } public static void bake2(Cake c) {  
        C. flavor = "Chocolate";  
        D. model = 1230; return; } } What is the result?  
E. 0 unknown 0 unknown  
F. 1200 Strawberry 1200 Strawberry  
G. 1200 Strawberry 1230 Chocolate  
H. Compilation fails
```

Correct Answer: C



Explanation: 1200 Strawberry 1230 Chocolate

## QUESTION 2

Given the code fragment:

```
public static void main(String[] args) {  
    Short s1 = 200;  
    Integer s2 = 400;  
    String s3 = (String) (s1 + s2);    //line n1  
    Long s4 = (long) s1 + s2;        //line n2  
    System.out.println("Sum is " + s4);  
}
```

Which two code fragments inserted at line 10 print \*\*\*\*?

```
class Student {  
    String name;  
    int age;  
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E

Correct Answer: E

```
4. public class Test {  
5.     public static void main(String[] args) {  
6.         Student s1 = new Student();  
7.         Student s2 = new Student();  
8.         Student s3 = new Student();  
9.         s1 = s3;  
10.        s3 = s2;  
11.        s1 = s2;  
12.    }  
13. }
```



### QUESTION 3

Given:

```
public class Painting {  
    private String type;  
    public String getType() {  
        return type;  
    }  
    public void setType(String type) {  
        this.type = type;  
    }  
    public static void main(String[] args) {  
        Painting obj1 = new Painting();  
        Painting obj2 = new Painting();  
        obj1.setType(null);  
        obj2.setType("Fresco");  
        System.out.print(obj1.getType() + " : " + obj2.getType());  
    }  
}
```

What is the result?

- A. : Fresco
- B. null : Fresco
- C. Fresco : Fresco
- D. A NullPointerException is thrown at runtime

Correct Answer: B

---

### QUESTION 4

Given:



```
public class Natural {  
  
private int i;  
  
void disp() {  
  
while (i
```