



# 1Z0-808<sup>Q&As</sup>

Java SE 8 Programmer I

**Pass Oracle 1Z0-808 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-808.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which two code fragments cause compilation errors? (Choose two.)

- A. double y1 = 203.22; float fit = y1;
- B. float fit = (float) 1\_11.00;
- C. Float fit = 100.00;
- D. int y2 = 100; float fit = (float) y2;
- E. float fit = 100.00F;

Correct Answer: AC

### QUESTION 2

Given:

```
class X {
    static int i;
    int j;
    public static void main(String[] args) {
        X x1 = new X();
        X x2 = new X();
        x1.i = 3;
        x1.j = 4;
        x2.i = 5;
        x2.j = 6;
        System.out.println(
            x1.i + " " +
            x1.j + " " +
            x2.i + " " +
            x2.j);
    }
}
```

And the commands:

Javac Jump.java Java Jump crazy elephant is always What is the result?

- A. Lazy lion is jumping
- B. Lion is always jumping
- C. Crazy elephant is jumping



- D. Elephant is always jumping
- E. Compilation fails

Correct Answer: B

### QUESTION 3

Given: What is the result?

- A. 

```
for (x = 0; x < 100; ++x) {  
    System.out.println("Welcome " + x);  
}
```
- B. 

```
for (x = 100; x <= 100; x++) {  
    System.out.println("Welcome " + x);  
}
```
- C. 

```
x = 100;  
while (x <= 100) {  
    x++;  
    System.out.println("Welcome " + x);  
}
```
- D. 

```
x = 100;  
do {  
    ++x;  
    System.out.println("Welcome " + x);  
} while (x < 100);
```

- A. double sum is 30.0 float sum is 30.0
- B. float sum is 30.0 double sum is 30.0
- C. Integer sum is 30 double sum is 30.0
- D. Integer sum is 30 float sum is 30.0

Correct Answer: B



```
16- public class Shop {
17-     public static void main(String[] args) {
18-         int x;
19-         for (x = 100; x <= 100; x++) {
20-             System.out.println("Welcome " + x);
21-         }
22-     }
23- }
```

Result

CPU Time: 0.23 sec(s), Memory: 33552 kilobyte(s)

Welcome 100

QUESTION 4

Given the code fragment:

```
1
2 public class Test {
3     public static void main(String[] args) {
4         int ans;
5         try {
6             int num = 10;
7             int div = 0;
8             ans = num / div;
9         } catch (ArithmeticException ae) {
10            ans = 0;
11        } catch (Exception e) {
12            System.out.println("Invalid calculation");
13            variable ans might not have been initialized
14            System.out.println("Answer = " + ans); //line n2
15        }
16    }
17 }
```

What is the result?

- A. 2012-02-10
- B. 2012-01-30
- C. 2012-02-10 00:00
- D. A DateTimeException is thrown at runtime.

Correct Answer: D



### QUESTION 5

Given the code fragments:

```
Main.java saved
1 import java.time.LocalDate;
2 import java.time.Month;
3
4 public class Main {
5     public static void main(String[] args) {
6         LocalDate date = LocalDate.of(2012, 1, 30);
7         date.plusDays(10);
8         System.out.println(date);
9     }
10 }
```

```
java version "1.8.0_31"
Java(TM) SE Runtime Environment (build 1.8.0_31-b13)
Java HotSpot(TM) 64-Bit Server VM (build 25.31-b07, mixed mode)
> javac -classpath ./run_dir/junit-4.12.jar:/run_dir/hamcrest-core-1.3.jar:/run_dir/json-simple-1.1.1.jar -d . Main.java
> java -classpath ./run_dir/junit-4.12.jar:/run_dir/hamcrest-core-1.3.jar:/run_dir/json-simple-1.1.1.jar Main
2012-01-30
```

What is the result?

- A. Compilation fails only at line n1.
- B. Compilation fails only at line n2.
- C. Tool::export Tool::export
- D. Compilation fails at both line n1 and line2.
- E. RTool::export Tool::export

Correct Answer: B

[Latest 1Z0-808 Dumps](#)

[1Z0-808 VCE Dumps](#)

[1Z0-808 Practice Test](#)