



# 1Z0-809<sup>Q&As</sup>

Java SE 8 Programmer II

**Pass Oracle 1Z0-809 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-809.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Given the code fragment:

```
Stream files = Files.list(Paths.get(System.getProperty("user.home"))); files.forEach (fName -> { //  
line n1  
try {  
Path aPath = fName.toAbsolutePath(); //line n2  
System.out.println(fName + ":"  
+ Files.readAttributes(aPath, Basic.File.Attributes.class).creationTime  
());  
} catch (IOException ex) {  
ex.printStackTrace();  
});
```

What is the result?

- A. All files and directories under the home directory are listed along with their attributes.
- B. A compilation error occurs at line n1.
- C. The files in the home directory are listed along with their attributes.
- D. A compilation error occurs at line n2.

Correct Answer: C

---

### QUESTION 2

Given:

```
public class Counter {  
public static void main (String[ ] args) {  
int a = 10;  
int b = -1;  
assert (b >=1) : "Invalid Denominator";  
int = a / b;  
System.out.println (c);
```



```
}
```

```
}
```

What is the result of running the code with the -ea option?

- A. -10
- B. 0
- C. An AssertionError is thrown.
- D. A compilation error occurs.

Correct Answer: C

---

### QUESTION 3

Given:

```
class UserException extends Exception { }
```

```
class AgeOutOfLimitException extends UserException { }
```

and the code fragment:

```
class App {  
    public void doRegister(String name, int age)  
        throws UserException, AgeOutOfLimitException {  
        if (name.length () > 60) {  
            throw new AgeOutOfLimitException ();  
        } else {  
            System.out.println("User is registered.");  
        }  
    }  
    public static void main(String[] args) throws UserException {  
        App t = new App ();
```

- A. doRegister("Mathew", 60); } } What is the result?
- B. User is registered.
- C. An AgeOutOfLimitException is thrown.



D. A `RuntimeException` is thrown.

E. A compilation error occurs in the main method.

Correct Answer: C

---

#### QUESTION 4

Given the code fragments:

```
public class Book implements Comparator {
```

```
String name;
```

```
double price;
```

```
public Book () {}
```

```
public Book(String name, double price) {
```

```
    this.name = name;
```

```
    this.price = price;
```

```
}
```

```
public int compare(Book b1, Book b2) {
```

```
    return b1.name.compareTo(b2.name);
```

```
}
```

```
public String toString() {
```

```
    return name + ":" + price;
```

```
}
```

```
}
```

and

```
List<Book> books = Arrays.asList(new Book("Beginning with Java", 2), new Book("A
```

```
Guide to Java Tour", 3));
```

```
Collections.sort(books, new Book());
```

```
System.out.print(books);
```

What is the result?

A. [A Guide to Java Tour:3.0, Beginning with Java:2.0]

B. [Beginning with Java:2, A Guide to Java Tour:3]



- C. A compilation error occurs because the Book class does not override the abstract method compareTo ().
- D. An Exception is thrown at run time.

Correct Answer: A

---

#### QUESTION 5

Which statement is true about the single abstract method of the java.util.function.Predicate interface?

- A. It accepts one argument and returns void.
- B. It accepts one argument and returns boolean.
- C. It accepts one argument and always produces a result of the same type as the argument.
- D. It accepts an argument and produces a result of any data type.

Correct Answer: B

[1Z0-809 PDF Dumps](#)

[1Z0-809 Practice Test](#)

[1Z0-809 Braindumps](#)