



1Z0-809^{Q&As}

Java SE 8 Programmer II

Pass Oracle 1Z0-809 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-809.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Given the code fragment:

```
public static void main(String[] args) {  
    Stream.of("Java", "Unix", "Linux")  
        .filter(s -> s.contains("n"))  
        .peek(s -> System.out.println("PEEK: " + s))  
        // line n1  
}
```

Which two code fragments, when inserted at line n1 independently, result in the output PEEK: Unix?

- A. `.anyMatch ();`
- B. `.allMatch ();`
- C. `.findAny ();`
- D. `.noneMatch ();`
- E. `.findFirst ();`

Correct Answer: CE

QUESTION 2

Given:

```
public interface LengthValidator {  
    public boolean checkLength(String str);  
}
```

and

```
public class Txt {  
    public static void main(String[] args) {  
        boolean res = new LengthValidator() {  
            public boolean checkLength(String str) {  
                return str.length() > 5 && str.length() < 10;  
            }  
        }.checkLength("Hello");  
    }  
}
```

Which interface from the `java.util.function` package should you use to refactor the class `Txt`?

- A. `Consumer`



- B. Predicate
- C. Supplier
- D. Function

Correct Answer: C

Reference: <https://docs.oracle.com/javase/8/docs/api/java/util/function/package-summary.html>

QUESTION 3

Assume customers.txt is accessible and contains multiple lines.

Which code fragment prints the contents of the customers.txt file?

- A. `Stream stream = Files.find (Paths.get ("customers.txt")); stream.forEach((String c) -> System.out.println(c));`
- B. `Stream stream = Files.find (Paths.get ("customers.txt")); stream.forEach(c) -> System.out.println(c));`
- C. `Stream stream = Files.list (Paths.get ("customers.txt")); stream.forEach(c) -> System.out.println(c));`
- D. `Stream lines = Files.lines (Paths.get ("customers.txt")); lines.forEach(c) -> System.out.println(c));`

Correct Answer: D

QUESTION 4

Given the definition of the Vehicle class:

```
class Vehicle {
    String name;
    void setName (String name) {
        this.name = name;
    }
    String getName() {
        return name;
    }
}
```

Which action encapsulates the Vehicle class?

- A. Make the Vehicle class private.
- B. Make the name variable public.
- C. Make the getName() and setName() method public.
- D. Make the name variable private.



E. Make the getName() and setName() method private.

Correct Answer: B

QUESTION 5

Given:

```
public class Counter {  
  
    public static void main (String[ ] args) {  
  
        int a = 10;  
  
        int b = -1;  
  
        assert (b >=1) : "Invalid Denominator";  
  
        int = a / b;  
  
        System.out.println (c);  
  
    }  
  
}
```

What is the result of running the code with the -ea option?

- A. -10
- B. 0
- C. An AssertionError is thrown.
- D. A compilation error occurs.

Correct Answer: C

[1Z0-809 Practice Test](#)

[1Z0-809 Study Guide](#)

[1Z0-809 Braindumps](#)