



1Z0-811^{Q&As}

Java Foundations

Pass Oracle 1Z0-811 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-811.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Given the code fragment:

```
int a = 10;
int b = 20;
int c = 30;
System.out.println (a++ > 10 || ++b <= 21);
System.out.println (a > 10 && ++b <= 22);
System.out.println (a <= 11 && b == 22);
System.out.println (c++ == 31 && a++ == 11 || b++ == 22);
```

What is the result?

- A. false false false false
- B. true false false false
- C. true true true true
- D. true true true false

Correct Answer: C

QUESTION 2

Given the code fragment:

```
String a = "Java";
String b = new String ("Java");
System.out.println (a.equals(b));
System.out.println (a==b);
```

What is the result?

- A. false false
- B. true true
- C. true false
- D. false true

Correct Answer: A



```
14 public class Course {  
15     public static void main (String[] args) {  
16         String a = "java";  
17         String b = new String ("Java");  
18         System.out.println (a.equals(b));  
19         System.out.println (a==b);  
20     }  
21 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

CommandLine Arguments

Result

CPU Time: 0.14 sec(s), Memory: 30316 kilobyte(s)

```
false  
false
```

QUESTION 3

Given the code:

```
public class Calc {  
    // line n1  
    return a + b;  
}  
public static void main(String[] args) {  
    Calc obj = new Calc();  
    int c = obj.sum(10, 20);  
    System.out.println("sum is " + c);  
}  
}
```

Which code fragment, when inserted at line n1, enables the code to print sum is 30?

A. int sum(int a, b) {



B. `int sum(int a, int b) {`

C. `int sum(int, int) {`

D. `int sum(int[] a, b) {`

Correct Answer: D

QUESTION 4

Which package would you import to use the Random class?

A. `java.io`

B. `java.math`

C. `java.util`

D. `java.lang`

Correct Answer: C

Reference: <https://www.educative.io/edpresso/how-to-generate-random-numbers-in-java>

QUESTION 5



```
14 public class Test {
15     public static void main (String[] args) {
16         String digits = "0123456789";
17         System.out.println(
18             digits.substring (
19                 digits.indexOf ("4"), digits.indexOf ("8")).concat ("89"));
20     }
21 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

Interactive

CommandLine Arguments

Execute

Result

CPU Time: 0.14 sec(s), Memory: 30320 kilobyte(s)

456789

Given the code fragment:

```
int[] num = new int[2];
num[0] = 10;
num[1] = 15;

List<Integer> lst = new ArrayList<>(2);
lst.add(10);
lst.add(15);

num[1] = 20;
lst.add(20);

for (int x: num) { System.out.print(x + " "); }
System.out.println("");
for (int y: lst) {System.out.print(y + " "); }
```

What is the result?

A. 10 20 10 15 20



- B. A runtime exception is thrown.
- C. 10 20 10 20
- D. A compilation error occurs.

Correct Answer: D

```
/Test.java:20: error: not a statement
    List<Integer> lst = new ArrayList<>(2);
    ^
/Test.java:20: error: ';' expected
    List<Integer> lst = new ArrayList<>(2);
    ^
/Test.java:21: error: not a statement
    lst.add(10);
    ^
/Test.java:21: error: ';' expected
    lst.add(10);
    ^
/Test.java:22: error: not a statement
    lst.add(15);
    ^
/Test.java:22: error: ';' expected
    lst.add(15);
    ^
/Test.java:25: error: not a statement
    lst.add(20);
    ^
/Test.java:25: error: ';' expected
    lst.add(20);
    ^
/Test.java:29: error: ')' expected
    for (int y: lst) {System.out.print (y + " "); }
    ^
/Test.java:29: error: ';' expected
    for (int y: lst) {System.out.print (y + " "); }
    ^
10 errors
```

[1Z0-811 PDF Dumps](#)

[1Z0-811 VCE Dumps](#)

[1Z0-811 Practice Test](#)