



1Z0-811^{Q&As}

Java Foundations

Pass Oracle 1Z0-811 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-811.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Given the code fragment:

```
int num[] = new int[3];  
num[1] = 10;  
num[2] = 15;  
List<Integer> lst = new ArrayList<> (3);  
lst.add(10);  
lst.add(15);  
System.out.println (num);  
System.out.println (lst);
```

What is the result?

- A. a memory address1 in hexadecimal number format a memory address2 in hexadecimal number format
- B. 10, 15 [10, 15]
- C. 0, 10, 15 [10, 15, null]
- D. a memory address in hexadecimal number format [10, 15]

Correct Answer: D



```
15 public class Test {
16     public static void main (String[] args) {
17         int num[] = new int[3];
18         num[1] = 10;
19         num[2] = 15;
20         List<Integer> lst = new ArrayList<> (3);
21         lst.add(10);
22         lst.add(15);
23         System.out.println (num);
24         System.out.println (lst);
25     }
26 }
27 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

CommandLine Arguments

Result

CPU Time: 0.12 sec(s), Memory: 30428 kilobyte(s)

```
[I@6a6824be
[10, 15]
```

QUESTION 2

Given the code fragment:

```
boolean checkOut = true;
int days = 0;
while (checkOut) {
    days++;
    if (days > 3) {
        checkOut = false;
    }
}
System.out.print(days);
```

What is the result?



- A. 2
- B. 4
- C. The program executes an infinite number of times.
- D. 3

Correct Answer: B

QUESTION 3

Given the code fragment:

```
Random r1 = new Random(10);  
Random r2 = new Random(10); // line n1  
  
if (r1.nextInt() == r2.nextInt()) {  
    System.out.println("Jack");  
} else {  
    System.out.println("Queen");  
}
```

What is the result?

- A. A compilation error occurs at line n1.
- B. Jack
- C. The program prints either Jack or Queen.
- D. Queen

Correct Answer: A

Result

CPU Time: sec(s), Memory: kilobyte(s)

```
~/Test.java:21: error: 'else' without 'if'  
    } else {  
      ^  
1 error
```



QUESTION 4

```
14 public class Test {  
15     int var1; //line n1  
16     public static void main (String[] args) {  
17         int var2 = 0; //line n2  
18         Test obj = new Test();  
19         int var3 = var2 + obj.var1;  
20         System.out.println(var3);  
21     }  
22 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

CommandLine Arguments

Result

CPU Time: 0.15 sec(s), Memory: 30328 kilobyte(s)

0

Given the code fragment:

```
int number = 1;  
String s = null;  
try {  
    number = s.length();  
    number += 2;  
}  
catch (RuntimeException e) {  
    number += 4;  
}  
System.out.println (number);
```

What is the result?

- A. 1
- B. 3



C. 5

D. Nothing is printed.

Correct Answer: C

QUESTION 5

```
14 public class Test {
15     public static void main (String[] args) {
16         String digits = "0123456789";
17         System.out.println(
18             digits.substring (
19                 digits.indexOf ("4"), digits.indexOf ("8")).concat ("89"));
20     }
21 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

Interactive

CommandLine Arguments

Execute

Result

CPU Time: 0.14 sec(s), Memory: 30320 kilobyte(s)

456789

Given the code fragment:



```
int[] num = new int[2];
num[0] = 10;
num[1] = 15;

List<Integer> lst = new ArrayList<>(2);
lst.add(10);
lst.add(15);

num[1] = 20;
lst.add(20);

for (int x: num) { System.out.print(x + " "); }
System.out.println("");
for (int y: lst) {System.out.print(y + " "); }
```

What is the result?

- A. 10 20 10 15 20
- B. A runtime exception is thrown.
- C. 10 20 10 20
- D. A compilation error occurs.

Correct Answer: D



```
/Test.java:20: error: not a statement
    List<Integer> 1st = new ArrayList<>(2);
        ^
/Test.java:20: error: ';' expected
    List<Integer> 1st = new ArrayList<>(2);
        ^
/Test.java:21: error: not a statement
    1st.add(10);
    ^
/Test.java:21: error: ';' expected
    1st.add(10);
    ^
/Test.java:22: error: not a statement
    1st.add(15);
    ^
/Test.java:22: error: ';' expected
    1st.add(15);
    ^
/Test.java:25: error: not a statement
    1st.add(20);
    ^
/Test.java:25: error: ';' expected
    1st.add(20);
    ^
/Test.java:29: error: ')' expected
    for (int y: 1st) {System.out.print (y + " "); }
        ^
/Test.java:29: error: ';' expected
    for (int y: 1st) {System.out.print (y + " "); }
        ^
10 errors
```

[1Z0-811 Practice Test](#)[1Z0-811 Study Guide](#)[1Z0-811 Exam Questions](#)