



1Z0-811^{Q&As}

Java Foundations

Pass Oracle 1Z0-811 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-811.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Given the code fragment: What is the result?

```
List<String> names = new ArrayList<>();
names.add ("Joel");
names.add ("Paul");
names.remove (0);
names.remove (0);
System.out.println (names.isEmpty());
names.add ("Joel");
names.add ("Paul");
names.clear();
System.out.println (names.isEmpty ());
```

- A. false true
- B. true true
- C. false false
- D. A runtime exception is thrown

Correct Answer: B

QUESTION 2

Which package would you import to use the Random class?

- A. java.io
- B. java.math
- C. java.util
- D. java.lang

Correct Answer: C

Reference: <https://www.educative.io/edpresso/how-to-generate-random-numbers-in-java>

QUESTION 3

Given:



```
1. class Test {
2.     /* comment text 1 */
3.     // comment text 2 //
4.     // comment text 3
5.     and comment text 4 //
6.     /* comment text 5
7.     and comment text 6 */
8. }
```

At which line does a compilation error occur?

- A. line 5
- B. line 2
- C. line 3
- D. line 7

Correct Answer: A

QUESTION 4



```
12  
13 public class App {  
14     public static void main (String[] args) {  
15         int[] num;  
16         num = new int[10];  
17     }  
18  
19 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

CommandLine Arguments

Result

CPU Time: 0.13 sec(s), Memory: 30348 kilobyte(s)



Given the code fragment:

```
String s = "Hello Java";  
System.out.println (s.length());  
s.concat ("SE 8");  
System.out.println (s.length ());
```

What is the result?

- A. 9
- B. 10
- C. 9
- D. 10

Correct Answer: B



QUESTION 5

Which statement is valid?

A. `int 2 totalScore = 0;`

B. `int total-score = 0;`

C. `int totalScore2 = 0;`

D. `int total score = 0;`

Correct Answer: A

Reference: <https://liveexample.pearsoncmg.com/html/TotalScore.html>

[Latest 1Z0-811 Dumps](#)

[1Z0-811 Practice Test](#)

[1Z0-811 Braindumps](#)