



# 1Z0-815<sup>Q&As</sup>

Java SE 11 Programmer I

**Pass Oracle 1Z0-815 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-815.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Given: /code/a/Test.java containing:

```
package a;
import b.Best;
public class Test {
    public static void main(String[] args) {
        Best b = new Best();
    }
}
```

and

/code/b/Best.java

containing:

```
package b;

public class Best { }
```

Which is the valid way to generate bytecode for all classes?

- A. java /code/a/Test.java
- B. javac -d /code /code/a/Test
- C. java /code/a/Test.java /code/b/Best.java
- D. java -cp /code a.Test
- E. javac -d /code /code/a/Test.java /code/b/Best.java
- F. javac -d /code /code/a/Test.java

Correct Answer: E

---

### QUESTION 2

Given:



```
void myLambda() {  
    int i = 25;  
    Supplier<Integer> foo = () -> i;  
    i++;  
    System.out.println(foo.get());  
}
```

Which is true?

- A. The code compiles but does not print any result.
- B. The code prints 25.
- C. The code does not compile.
- D. The code throws an exception at runtime.

Correct Answer: C

---

### QUESTION 3

Which three initialization statements are correct? (Choose three.)

- A. `int x = 12_34;`
- B. `short sh = (short)`A\`;`
- C. `String contact# = "(+2) (999) (232)";`
- D. `boolean true = (4 == 4);`
- E. `float x = 1.99;`
- F. `int[][] e = {{1,1},{2,2}};`
- G. `byte b = 10; char c = b;`

Correct Answer: AEF

---

### QUESTION 4

Given the code fragment: What is the result?



```
int[] secA = { 2, 4, 6, 8, 10 };
int[] secB = { 2, 4, 8, 6, 10 };
int res1 = Arrays.mismatch(secA, secB);
int res2 = Arrays.compare(secA, secB);
System.out.print(res1 + " : " + res2);
```

A. -1 : 2

B. 2 : -1

C. 2 : 3

D. 3 : 0

Correct Answer: A

---

#### QUESTION 5

Given:

```
public class Test {
    private int sum;
    public int compute() {
        int x = 0;
        while(x < 3) {
            sum += x++;
        }
        return sum;
    }
    public static void main(String[] args) {
        Test t = new Test();
        int sum = t.compute();
        sum = t.compute();
        t.compute();
        System.out.println(sum);
    }
}
```

What is the result?

A. 9

B. An exception is thrown at runtime.



C. 3

D. 6

Correct Answer: D



```
6
```

```
Completed with exit code: 0
```

[1Z0-815 VCE Dumps](#)

[1Z0-815 Exam Questions](#)

[1Z0-815 Braindumps](#)