



1Z0-819^{Q&As}

Java SE 11 Developer

Pass Oracle 1Z0-819 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-819.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Given:

```
interface MyInterface1 {
    public int method() throws Exception;
    private void pMethod() { /* an implementation of pMethod */ }
}
interface MyInterface2 {
    public static void sMethod() { /* an implementation of sMethod */ }
    public boolean equals();
}
interface MyInterface3 {
    public void method();
    public void method(String str);
}
interface MyInterface4 {
    public void dMethod() { /* an implementation of dMethod */ }
    public void method();
}
interface MyInterface5 {
    public static void sMethod();
    public void method(String str);
}
```

Which two interfaces can be used in lambda expressions? (Choose two.)

- A. MyInterface1
- B. MyInterface3
- C. MyInterface5
- D. MyInterface2
- E. MyInterface4

Correct Answer: AB

QUESTION 2

Given these two classes:



```
public class Resource {
    public Worker owner;
}

public class Worker {
    private boolean ready = true;
    public synchronized boolean isReady() {
        return ready;
    }
    public synchronized void work(Worker other, Resource resource) {
        while (ready) {
            while (resource.owner != this) {
                try {
                    wait(10);
                }
                catch (InterruptedException e) { }
            }
            if (other.isReady()) {
                resource.owner = other;
            }
            else {
                // do work with resource
                ready = false;
                resource.owner = other;
            }
        }
    }
}
```

And given this fragment:



```
Worker w1 = new Worker();
Worker w2 = new Worker();
Resource r = new Resource();
resource.owner = w1;
new Thread( () -> {
    w1.work(w2, r);
} ).start();
new Thread( () -> {
    w2.work(w1, r);
} ).start();
```

Which describes the fragment?

- A. It throws an IllegalMonitorStateException.
- B. It is subject to deadlock.
- C. It is subject to livelock.
- D. The code does not compile.

Correct Answer: B

QUESTION 3

Which is the correct order of possible statements in the structure of a Java class file?

- A. class, package, import
- B. package, import, class
- C. import, package, class
- D. package, class, import
- E. import, class, package

Correct Answer: B

QUESTION 4

Your organization makes mlib.jar available to your cloud customers. While working on a new feature for mlib.jar, you see that the customer visible method `public void enableService(String hostName, String portNumber)` executes this code fragment



```
try {
    AccessController.doPrivileged((PrivilegedExceptionAction<Void>) () -> {
        transportSocket = new Socket(hostname, portNumber);
        return null;
    });
}
```

and you see this grant is in the security policy file:

```
grant codebase "file:${mlib.home}/j2se/home/mlib.jar" {
    permission java.io.SocketPermission "*", "connect";
};
```

What security vulnerability does this expose to your cloud customer's code?

- A. privilege escalation attack against the OS running the customer code
- B. SQL injection attack against the specified host and port
- C. XML injection attack against any mlib server
- D. none because the customer code base must also be granted SocketPermission
- E. denial of service attack against any reachable machine

Correct Answer: E

The correct answer is E. denial of service attack against any reachable machine. The code fragment shows that the enableService method uses the AccessController.doPrivileged method to create a new Socket with the specified hostname and portNumber. The security policy file grants the codebase permission to connect to any host using SocketPermission. This means that an attacker could potentially use this method to repeatedly create connections to any reachable machine, overwhelming its resources and causing a denial of service attack.

QUESTION 5

Given:

```
List list1 = new ArrayList();
```

```
list1.add("A");
```

```
list1.add("B");
```

```
List list2 = List.copyOf(list1);
```

```
list2.add("C");
```

```
List list3 = List.of(list1, list2);
```

```
System.out.println(list3);
```

What is the result?



A. [[A, B],[A, B]]

B. An exception is thrown at run time.

C. [[A, B], [A, B, C]]

D. [[A, B, C], [A, B, C]]

Correct Answer: B

[1Z0-819 PDF Dumps](#)

[1Z0-819 Exam Questions](#)

[1Z0-819 Braindumps](#)